

References

- Abbey S (1983) Studies in "standard samples" of silicate rocks and minerals 1969-1982. Pap Geol Surv Canada 83-15: 1-114
- Adam JWH (1960) On the geology of the primary tin-ore deposits in the sedimentary formation of Billiton. Geol Mijnbouw 39: 405-426
- Agricola G (1546,1956) De ortu et causis subterraneorum libri V. Basel (Froben), 81 pp (Die Entstehung der Stoffe im Erdinnern) In: Georgius Agricola - Ausgewählte Werke, 3. VEB Dtsch Verlag Wiss, Berlin, pp 83-187
- Ahlfeld F (1931) Über Tracht und Genesis des Zinnsteins. Fortschr Miner Krist Petr 16: 47-49
- Ahlfeld F (1958) Zinn und Wolfram. Enke, Stuttgart, 210 pp
- Ahlfeld F, Schneider-Scherbina A (1964) Los yacimientos minerales y de hidrocarburos de Bolivia. Bol Dept Nac Geol <La Paz> 5: 1-388
- Albuquerque CAR de (1971) Petrochemistry of a series of granitic rocks from northern Portugal. Bull Geol Soc Amer 82: 2783-2798
- Alderton DHM, Pearce JA, Potts PJ (1980) Rare earth element mobility during granite alteration: evidence from southwest England. Earth Planet Sci Lett 49: 149-165
- Aleva GJJ (1985) Indonesian fluvial cassiterite placers and their genetic environment. J Geol Soc London 142, 815-836
- Amstutz GC (1959) Syngenetic zoning in ore deposits. Proc Geol Assoc Canada 11: 95-113
- Anders E, Grevesse N (1989) Abundances of the elements: meteoritic and solar. Geochim Cosmochim Acta 53: 197-214
- Anderson DL (1983) Chemical composition of the mantle. Proc 14th Lunar Planet Sci Conf, part 1, J Geophys Res 88 (suppl): B41-B52
- Antipin VS, Kovalenko VI, Kuznetsova AI, Persikova LA (1981) Distribution coefficients for tin and tungsten in ore-bearing acid igneous rocks. Geochem Intern 18, 1: 92-106 (translated from Geokhimiya 1981, 2: 163-178)
- Aubert G (1969) Les coupoles granitiques de Montebras et d'Échassières (Massif Central français) et la genèse de leurs minéralisations en étain, lithium, tungstène et beryllium. Mém BRGM 46: 1-346
- Avila SW (1982) Casiterita esferulítica de Chacaltaya. CEDOMIN <La Paz> 5: 37-52
- Ball TK, Basham IR (1984) Petrogenesis of the Bosworgey granitic cusp in the SW England tin province and its implications for ore mineral genesis. Mineral Deposita 19: 70-77
- Banks NG, Cornwall HR, Silbermann ML, Creasey SC, Marvin RF (1972) Chronology of intrusion and ore deposition at Ray, Arizona: Part 1, K-Ar ages. Econ Geol 67: 864-878
- Bard JP, Botello M, Martinez C, Subieta T (1974) Relations entre tectonique, métamorphisme et mise en place d'un granite éohercynien à deux micas dans la Cordillère Real de Bolivie (Massif de Zongo-Yani). Cah ORSTOM <Paris>, S,r G,ol 6: 3-18
- Barnes PB Jr (1984) Redox reactions in hydrothermal fluids. In: Henley RW, Truesdell AH, Barton PB Jr (eds) Fluid-mineral equilibria in hydrothermal systems. Rev Econ Geol 1: 99-113

- Barosh PJ (1968) Relationship of explosion-produced fracture patterns to geologic structure in Yucca Flat, Nevada Test Site. Mem Geol Soc Am 110: 199-217
- Barsukov VL (1956) New data on the geochemistry of tin. Abstr./Resum. Trabajos Presentados, 20th Int Geol Congr, Mexico-City, 355 pp
- Barsukov VL (1957) The geochemistry of tin. Geochemistry 1: 41-52 (translated from Geokhimiya 1957: 36-45)
- Baumann L (1965) Zur Erzführung und regionalen Verbreitung des "Felsithorizontes" von Halsbrücke. Freiberg Forschungsh C 186: 63-81
- Baumann L, Tägl F (1963) Neue Erkundungsergebnisse zur Tektonik und Genesis der Zinnerzlagerstätte von Ehrenfriedersdorf. Freiberg Forschungsh C 167: 35-63
- Baumann L, Weinhold G (1963) Zum Neuaufschluss des sogenannten "Felsithorizontes" von Halsbrücke. Z Angew Geol 9: 338-345
- Baumann L, Tischendorf G (1976) Einführung in die Metallogenie/Minerogenie. Dtsch Verlag Grundstoffind, Leipzig, 458 pp
- Beaumont E de (1847) Note sur les émanations volcaniques et métallifères. Bull Soc Géol France, 2ième Sér, 4: 1249-1334
- Beckinsale RD (1979) Granite magmatism in the tin belt of Southeast Asia. In: Atherton MP, Tarney J (eds) Origin of granite batholiths. Shiva, Orpington, pp 34-44
- Beckinsale RD, Suensilpong S, Nakapadungrat S, Walsh JN (1979) Geochronology and geochemistry of granite magmatism in Thailand in relation to a plate tectonic model. J Geol Soc London 136: 529-540
- Berg G (1922) Die Gesteine des Isergebirges. Jb Preuss Geol Landesanst 43: 125-168
- Beyschlag F, Krusch P, Vogt JHL (1910) Die Lagerstätten der nutzbaren Mineralien und Gesteine nach Form, Inhalt und Entstehung. Enke, Stuttgart, Bd 1, 509 pp
- Bignell JD, Snelling NJ (1977) Geochronology of Malayan granites. Overseas Geol Min Res, Inst Geol Sci London 47: 1-72
- Biste M (1979) Die Anwendung geochemischer Indikatoren auf die Zinn-Höufigkeit herzynischer Granite in Süd-Sardinien. Berliner Geowiss Abh A 18: 1-107
- Blatt H, Jones RL (1975) Proportions of exposed igneous, metamorphic, and sedimentary rocks. Bull Geol Soc Am 86: 1085-1088
- Boissavy-Vinau M (1979) Processus géochimiques de concentrations liés à l'évolution de magmas granitiques. Application aux filons à Sn-W du Massif Central et du Nord Portugal. Thèse 3ième cycle, Univ Paris VI, Paris, 220 pp
- Boissavy-Vinau M, Roger G (1980) The TiO₂/Ta ratio as an indicator of the degree of differentiation of tin granites. Mineral Deposita 15: 231-236
- Bolduan H (1963) Geologie und Genese der Zinn-Wolframlagerstätte Geyer (Erzgebirge). Freiberg Forschungsh C 167: 7-34
- Bourcier WL, Barnes HL (1987) Ore solution chemistry - VII. Stabilities of chloride and bisulfide complexes of zinc to 350 °C. Econ Geol 82: 1839-1863
- Bowden P (1982) Magmatic evolution and mineralization in the Nigerian younger granite province. In: Evans AM (ed) Metallization associated with acid magmatism. Wiley, Chichester, pp 51-61
- Bowden P, Kinnaird JA (1984) Geology and mineralization of the Nigerian anorogenic ring complexes. Geol Jb <Hannover> B 56: 3-65

- Bräuer H (1970) Spurenelementgehalte in granitischen Gesteinen des Thüringer Waldes und des Erzgebirges. Freiberg Forschungsh C 259: 83-139
- Breemen O van, Hutchinson J, Bowden P (1975) Age and origin of the Nigerian Mesozoic granites: a Rb-Sr isotopic study. Contrib Mineral Petrol 50: 157-172
- Brewer MS, Lippolt HJ (1974) Petrogenesis of basement rocks of the upper Rhine region elucidated by rubidium-strontium systematics. Contrib Mineral Petrol 45: 123-141
- Brimhall GH Jr (1987) Preliminary fractionation patterns of ore metals through Earth history. Chem Geol 64: 1-16
- Brimhall GH Jr, Crerar DA (1987) Ore fluids: magmatic to supergene. Rev Mineral 17: 235-321
- Brown GC, Thorpe RS, Webb PC (1984) The geochemical characteristics of granitoids in contrasting arcs and comments on magma sources. J Geol Soc London 141: 413-426
- Brown GF, Buravas S, Charaljavanaphet J, Jalichandra N, Johnston WD Jr, Sresthaputra V, Taylor GC Jr (1951) Geologic reconnaissance of the mineral deposits of Thailand. US Geol Surv Bull 984: 1-183
- Bryndzia LT, Wood BJ, Dick HJB (1989) The oxidation state of the Earth's sub-oceanic mantle from oxygen thermobarometry of abyssal spinel peridotites. Nature <London> 341: 526-527
- Buch L von (1802) Geognostische Beobachtungen auf Reisen durch Deutschland und Italien. Erster Band. Haude-Spener, Berlin, 320 pp
- Buchanan MS, MacLeod WN, Turner DC, Wright EP (1971) The geology of the Jos Plateau, Vol 2. The younger granite complexes. Nigeria Geol Surv Bull 32: 1-160
- Budzinski H, Tischendorf G (1985) Modelling of fractional crystallization of granitic magmas: the Variscan postkinematic Older Granites of Western Erzgebirge-Vogtland, G.D.R. Gerlands Beitr Geophys 94: 370-380
- Burnham CW (1967) Hydrothermal fluids at the magmatic stage. In: Barnes HL (ed) Geochemistry of hydrothermal ore deposits. Holt Rinehart Winston, New York, pp 34-76
- Burnham CW (1979a) Magmas and hydrothermal fluids. In: Barnes HL (ed) Geochemistry of hydrothermal ore deposits, 2nd edn. Wiley, New York, pp 71-136
- Burnham CW (1979b) The importance of volatile constituents. In: Yoder HS (ed) The evolution of the igneous rocks. Fiftieth anniversary perspectives. Princeton Univ Press, Princeton, pp 439-482
- Burnham CW (1985) Energy release in subvolcanic environments: implications for breccia formation. Econ Geol 80: 1515-1522
- Burnham CW, Davis NF (1971) The role of H₂O in silicate melts. I. P-V-T relations in the system NaAlSi₃O₈-H₂O. Am J Sci 270: 54-79
- Burnham CW, Ohmoto H (1980) Late-stage processes of felsic magmatism. Mining Geol, Spec Issue 8: 1-11
- Burnol L (1974) Géochimie du beryllium et types de concentrations dans les leucogranites du Massif Central français. Relation entre les caractéristiques des granitoides et les gisements endogènes de type départ acide (Be, Sn, Li) ou de remaniement tardif (U, F, Pb, et Zn). Mém BRGM 85: 1-170

- Burnol L (1978) Different types of leucogranites and classification of the types of mineralization associated with acid magmatism in the north-western part of the French Massif Central. In: Stempok M, Burnol L, Tischendorf G (eds) Metallization associated with acid magmatism, Vol 3. Czech Geol Surv, Praha, pp 191-204
- Burt DM, Sheridan MF, Bikun JV, Christiansen EH (1982) Topaz rhyolites - distribution, origin, and significance for exploration. Econ Geol 77: 1818-1836
- Cabello J (1986) Precious metals and Cenozoic volcanism in the Chilean Andes. J Geochem Expl 25: 1-19
- Cameron KL (1984) Bishop Tuff revisited: new rare-earth element data consistent with fractional crystallization. Science 224: 1338-1340
- Candela PA, Holland HD (1984) The partitioning of copper and molybdenum between silicate melts and aqueous fluids. Geochim Cosmochim Acta 48: 373-380
- Candela PA, Bouton SL (1990) The partitioning of tungsten and molybdenum between silicate melts and ilmenite: implications for fO_2 control of metal ratios in magmatic-hydrothermal W-Mo deposits. Econ Geol 85 (in press)
- Cann JR (1982) Rayleigh fractionation with continuous removal of liquid. Earth Planet Sci Lett 60: 114-116
- Carten RB, Walker BM, Geraghty EP, Gunow AJ (1988) Comparison of field-based studies of the Henderson porphyry molybdenum deposit, Colorado, with experimental and theoretical models of porphyry systems. In: Taylor RP, Strong DF (eds) Recent advances in the geology of granite-related mineral deposits. CIM (Canad Inst Min Metal), Spec Vol 39: 351-366
- Carvalho P (1986) An introduction to the Neves Corvo copper mine, Portugal. In: Thadeu D (ed) Guidebook Iberian field conference, 11-22 April 1986, Portuguese section. Soc Geol Appl Mineral Deposits (SGA), Lisboa, pp 83-99
- Cerny P (1982) Petrogenesis of granitic pegmatites. In: Cerny P (ed) Short course in granitic pegmatites in science and industry. Mineral Assoc Canada, Short Course Handbook 8: 405-461
- Cerny P (1989) Characteristics of pegmatite deposits of tantalum. In: Möller P, Cerny P, Saup, F (eds) Lanthanides, tantalum and niobium. Mineralogy, geochemistry, characteristics of primary ore deposits, prospecting, processing and applications. Proceedings of a workshop in Berlin, November 1986. Springer, Berlin Heidelberg New York, pp 195-239
- Cerny P, Meintzer RE, Anderson AJ (1985) Extreme fractionation in rare-element granitic pegmatites: selected examples of data and mechanisms. Can Mineral 23: 381-421
- Chappell BW, White AJR (1974) Two contrasting granite types. Pacific Geol 8: 173-174
- Charoy B (1986) The genesis of the Cornubian batholith (SW England): the example of the Carnmenellis pluton. J Petrol 27: 571-604
- Charpentier JFW (1778) Mineralogische Geographie der Chursächsischen Lande. Crusius, Leipzig, 432 pp
- Chen Guoda (1989) Tectonics of China. Pergamon, Oxford, 266 pp
- Cheng Xianyao, Huang Youde, Yao Jingyan, We Mingchao, Peng Zhenan, (1984) The primitive concentration of tin elements and the model of

- double controlled tin deposits. Report Int Symp Geology of Tin Deposits, Nanning and Dachang, China, 27 Oct-8 Nov 1984. Chinese Acad Geol Sci/ESCAP Reg Miner Res Develop Cent, Bandung, pp 33-34
- Christiansen EH, Burt DM, Sheridan MF, Wilson RT (1983) The petrogenesis of topaz-rhyolites from the western United States. Contrib Mineral Petrol 83: 16-30
- Clark AH, Farrar E, Caelles JC, Haynes SJ, Lortie RB, McBride SL, Quirt GS, Robertson RCR, Zentilli M (1976) Longitudinal variations in the metallogenetic evolution of the Central Andes: a progress report. Geol Assoc Canada, Spec Pap 14: 23-58
- Clark AH, Robertson RCR (1978) The evolution and origin of the northern plutonic subprovinces of the Bolivian tin belt. Abstr, Int Symp Geology of Tin Deposits, March 1978, Kuala Lumpur, Annex to Warta Geol 4: 42-43
- Cobbing EJ, Pitfield PEJ, Beckinsale RD (1988) Report on the geology and geochemistry of a selection of granites from Burma. NERC, British Geol Surv, Report WC/88/30/R, pp 1-45
- Cobbing EJ (1989) Summary of petrographic notes and geochemical data on granite samples from Malaysia. British Geol Surv, Intern Report, 32 p
- Cobbing EJ, Mallick DJ, Pitfield PEJ, Teoh LH (1986) The granites of the Southeast Asian tin belt. J Geol Soc London 143: 537-550
- Collins WJ, Beams SD, White AJR, Chappell BW (1982) Nature and origin of A-type granites with particular reference to southeastern Australia. Contrib Mineral Petrol 80: 189-200
- Compston W, Chappell BW (1979) Sr-isotope evolution of granitoid source rocks. In: McElhinny MW (ed) The Earth: its origin, structure and evolution. Academic Press, London, pp 377-426
- Cotta B von (1859) Die Lehre von den Erzlagerstätten. Erster Theil, 2. Aufl. Engelhardt, Freiberg, 252 pp
- Crerar DA, Barnes HL (1976) Ore solution chemistry - V. Solubilities of chalcopyrite and chalcocite assemblages in hydrothermal solution at 200 to 350 °C. Econ Geol 71: 772-794
- Criss RE, Taylor HP Jr (1986) Meteoric-hydrothermal systems. Rev Mineral 16: 373-424
- Crowson P (1984) Minerals handbook 1984-85. Stockton, New York, 294 pp
- Crowson P (1986) Minerals handbook 1986-87. Stockton, New York, 331 pp
- Dadze TP, Sorokhin VI, Nekrasov IY (1981) Solubility of SnO₂ in water and in aqueous solutions of HCl, HCl+KCl, and HNO₃ at 200-400 °C and 101.3 MPa. Geochem Intern 18, 5: 142-152 (translated from Geokhimiya 1981, 10: 1482-1492)
- Dahm KP, Gerstenberger H, Geissler M (1985) Zum Problem der Granitgenese im Erzgebirge, DDR. Z Geol Wiss 13: 545-557
- Darbyshire DPF (1988a) Geochronology of Malaysian granites. NERC Isotope Geol Cent Report 88/3: 1-59
- Darbyshire DPF (1988b) Geochronology of Tin Islands granites, Indonesia. NERC Isotope Geol Cent Report 88/4: 1-30
- Darbyshire DPF (1988c) Geochronology of Thai granites. NERC Isotope Geol Cent Report 88/5: 1-44
- Darbyshire DPF, Shepherd TJ (1985) Chronology of granite magmatism and associated mineralization, SW England. J Geol Soc London 142: 1159-1177

- Darbyshire DPF, Shepherd TJ (1988) A Rb-Sr and Sm-Nd study of granites and related Sn-W mineralization in SW England. Abstr, 5th Int Symp Tin/Tungsten Granites in SE Asia and the western Pacific, Oct 17-19, 1988. Shimane Univ, Matsue, pp 30-31
- Darbyshire DPF, Swainbank IG (1988) Geochronology of a selection of granites from Burma. NERC Isotope Geol Cent Report 88/6: 1-38
- Darnley AG (1986) High heat production (HHP) granites, hydrothermal circulation and ore genesis. Trans Instn Min Metall 95: B46-B50
- Daubrée A (1841) Mémoire sur le gisement, la constitution et l'origine des amas de mineraux d'étain. Ann Mines, 3ième Sér 20: 65-112
- Daubrée A (1849) Recherches sur la production artificielle de quelques espèces minérales cristallines, particulièrement de l'oxyde d'étain, de l'oxyde de titane et du quartz: observations sur l'origine des filons titanifères des Alpes. Comptes Rendus Hebd Séances Acad Sci <Paris> 29: 227-232
- DePaolo DJ (1981) Trace element and isotopic effects of combined wallrock assimilation and fractional crystallization. Earth Planet Sci Lett 53: 189-202
- DePaolo DJ (1988) Neodymium isotope geochemistry. An introduction. Springer, Berlin Heidelberg New York Tokyo, 187 pp
- Dillet B, Czamanske GK (1987) Aspects of the petrology, mineralogy, and geochemistry of the granitic rocks associated with Questa Caldera, northern New Mexico. US Geol Surv, Open-File Rep 87-258: 1-238
- Dingwell DB (1988) The structures and properties of fluorine-rich magmas: a review of experimental studies. In: Taylor RP, Strong DF (eds), Recent advances in the geology of granite-related mineral deposits. Canad Inst Min Metall, Spec Vol 39: 1-12
- Dingwell DB, Harris DM, Scarfe CM (1984) The solubility of H₂O in melts in the system SiO₂-Al₂O₃-Na₂O-K₂O at 1 to 2 kbars. J Geol 92: 387-395
- Dmitriev L, Barsukov V, Uditsev G (1971) Rift-zones of the ocean and the problem of ore-formation. Min Geol <Japan>, Spec Issue 3 (Proc IMA-IGOD Meetings 1970), pp 65-69
- Doerner HA, Hoskins WM (1925) Co-precipitation of radium and Ba sulfates. Am Chem Soc 47: 662-675
- Drach V von, Lippolt HJ, Brewer M (1974) Rb-Sr-Altersbestimmungen an Graniten des Nordschwarzwaldes. N Jb Miner Abh 123: 38-62
- Durasova NA, Barsukov VL, Ryabchikov IO, Khramov DA, Kravtsova RP (1984) The valency states of tin in basalts at various oxygen fugacities. Geochem Intern 21, 4: 7-8 (translated from Geokhimiya 1984, 3: 435-437)
- Durisova J, Charoy B, Weisbrod A (1979) Fluid inclusion studies in minerals from tin and tungsten deposits in the Krusn, Hory Mountains (Czechoslovakia). Bull Min,ral 102: 665-675
- Duthou JL (1978) Les granitoides du Haut Limousin (Massif central françois); chronologie Rb-Sr de leur mise en place; le thermo-m, tamorphisme carbonifSre. Bull Soc G,ol France 20: 229-235
- Eadington PJ (1988) The solubility of cassiterite in hydrothermal solutions in relation to some lithological and mineral associations of tin ores. In: Taylor RP, Strong DF (eds) Recent advances in the geology of granite-related mineral deposits. CIM (Can Inst Min Metal), Spec Vol 39: 25-32

- Eastoe CJ (1982) Physics and chemistry of the hydrothermal system at the Panguna porphyry copper deposit, Bougainville, Papua New Guinea. *Econ Geol* 77: 127-153
- El Bouseily AM, El Sokkary AA (1975) The relation between Rb, Ba and Sr in granitic rocks. *Chem Geol* 16: 207-219
- Emmermann R (1977) A petrogenetic model for the origin and evolution of the Hercynian granite series of the Schwarzwald. *N Jb Miner Abh* 128: 219-253
- Eugster HP (1985) Granites and hydrothermal ore deposits: a geochemical framework. *Mineral Mag* 49: 7-23
- Eugster HP (1986) Minerals in hot water. *Am Mineral* 71: 655-673
- Eugster HP, Wilson GA (1985) Transport and deposition of ore-forming elements in hydrothermal systems associated with granites. In: Halls C (ed) *High heat production granites, hydrothermal circulation and ore genesis*. Inst Min Metall, London, pp 87-98
- Eugster HP, Wones DR (1962) Stability relations of the ferruginous biotite, annite. *J Petrol* 3: 82-125
- Ewart A (1981) The mineralogy and chemistry of the anorogenic Tertiary silicic volcanics of SE Queensland and NE New South Wales, Australia. *J Geophys Res* 86: 10242-10256
- Exley CS, Stone M (1982) Petrogenesis. In: Sutherland DS (ed) *Igneous rocks of the British Isles*. Wiley, Chichester, pp 311-320
- Farmer GL, DePaolo DJ (1983) Origin of Mesozoic and Tertiary granite in the western United States and implications for pre-Mesozoic crustal structure. 1. Nd and Sr isotopic studies in the geocline of the northern Great Basin. *J Geophys Res* 88: 3379-3401
- Farmer GL, DePaolo DJ (1984) Origin of Mesozoic and Tertiary granite in the western US and implications for pre-Mesozoic crustal structure. 2. Nd and Sr isotopic studies of unmineralized and Cu- and Mo-mineralized granite in the Precambrian craton. *J Geophys Res* 89: 10141-10160
- Fehn U (1985) Post-magmatic convection related to high heat production in granites of southwest England: a theoretical study. In: Halls C (ed) *High heat production (HHP) granites, hydrothermal circulation and ore genesis*. Inst Min Metall, London, pp. 99-112
- Fehn U, Cathles LM, Holland HD (1978) Hydrothermal convection and uranium deposits in abnormally radioactive plutons. *Econ Geol* 73: 1556-1566
- Ferguson HG, Bateman AM (1912) Geologic features of tin deposits. *Econ Geol* 7: 209-262
- Fernandez A, Hörmann PK, Kussmaul S, Meave J, Pichler H, Subieta T (1973) First petrologic data on young volcanic rocks of SW-Bolivia. *Tschermaks Min Petr Mitt* 19: 149-172
- Feyerabend P (1979) *Contre la méthode. Esquisse d'une théorie anarchiste de la connaissance*. Seuil, Paris, 350 pp
- Fleischer R, Routhier P (1970) Quelques grands thèmes de la géologie du Brésil. *Mémoires géologiques et métallurgiques sur le Planalto*. *Sci Terres* 15: 45-102
- Fletcher WK, Dousset PE, Yusoff I (1984) Behaviour of tin and associated elements in a mountain stream, Bujang Melaka, Perak, Malaysia. *SEATRAD Centre <Ipoh, Malaysia>, Report Invest* 24: 1-71

- Floyd PA, Exley CS, Stone M (1983) Variscan magmatism in southwest England - discussion and synthesis. In: Hancock PL (ed) *The Variscan fold belt in the British Isles*. Hilger, Bristol, pp 178-185
- Förster HJ, Tischendorf G (1989) Reconstruction of the volatile characteristics of granitoidic magmas and hydrothermal solutions on the basis of dark micas: The Hercynian postkinematic granites and associated high-temperature mineralizations of the Erzgebirge (G.D.R.). I. Communication: Calculation procedure and results. *Chem Erde* 49: 7-20
- Förster HJ, Tischendorf G (1990) Reconstruction of the volatile characteristics of granitoidic magmas and hydrothermal solutions on the basis of dark micas: The Hercynian postkinematic granites and associated high-temperature mineralizations of the Erzgebirge (G.D.R.). II. Communication: Implications to metallogenesis. *Chem Erde*, in press.
- Fox W (1969) Tin mining in Spain and Portugal: a paper of information. In: Fox W (ed) *A second technical conference on tin*. Int Tin Council, Bangkok London, pp 223-265
- French BM, Eugster HP (1965) Experimental control of oxygen fugacities by graphite-gas equilibrium. *J Geophys Res* 70: 1529-1539
- Gardeweg M, Ishihara S, Matsuhisa Y, Shibata K, Terashima S (1984) Geochemical studies of Upper Cenozoic igneous rocks from the Altiplano of Antofagasta, Chile. *Bull Geol Surv Japan* 35: 547-563
- Gaupp R, Möller P, Morteani G (1984) Tantal-Pegmatite. *Geologische, petrologische und geochemische Untersuchungen*. Monogr Ser Mineral Deposits 23: 1-124
- Gerstenberger H (1989) Autometasomatic Rb enrichments in highly evolved granites causing lowered Rb-Sr isochron intercepts. *Earth Planet Sci Lett* 93: 65-75
- Gerstenberger H, Haase G, Tischendorf G, Wetzel K (1984) Zur Genese der variszisch-postkinematischen Granite des Erzgebirges. *Chem Erde* 43: 263-277
- Giggenbach WF (1980) Geothermal gas equilibria. *Geochim Cosmochim Acta* 44: 2021-2032
- Gill JB (1978) Role of trace element partition coefficients in models of andesite genesis. *Geochim Cosmochim Acta* 42: 709-724
- Goethe JW (1785,1963) Zur Theorie der Gesteinslagerung. In: Johann Wolfgang Goethe - dtv-Gesamtausgabe, Bd 38. Dtsch Taschenbuch Verlag, pp 15-16
- Goldschmidt VM (1937) The principles of distribution of chemical elements in minerals and rocks. *J Chem Soc <London>* 1937: 655-672
- Grant JN, Halls C, Avila W, Avila G (1977) Igneous geology and the evolution of hydrothermal systems in some sub-volcanic tin deposits of Bolivia. *Geol Soc London, Spec Publ* 7: 117-126
- Grant JN, Halls C, Avila W, Snelling NJ (1979) K-Ar ages of igneous rocks and mineralization in part of the Bolivian tin belt. *Econ Geol* 74: 838-851
- Grant JN, Halls C, Sheppard SMF, Avila W (1980) Evolution of the porphyry tin deposits of Bolivia. *Min Geol, Spec Issue* 8: 151-173
- Grohmann H (1965) Beitrag zur Geochemie österreichischer Granitoide. *Tschermaks Min Petr Mitt* 10: 436-474
- Groves DI (1972) The geochemical evolution of tin-bearing granites in the Blue Tier batholith, Tasmania. *Econ Geol* 67: 445-457

- Groves DI, McCarthy TS (1978) Fractional crystallization and the origin of tin deposits in granitoids. *Mineral Deposita* 13: 11-26
- Guan Xunfan, Zhou Yongqin, Xiao Jinghua, Liang Shuzhao, Li Jinmao (1984) A new type of tin deposits in China - the Yinyan porphyry tin deposit. Report on the international symposium on the geology of tin deposits (Nanning and Dachang, 27 Oct-8 Nov, 1984). Chinese Acad Geol Sci/ESCAP Regional Min Res Develop Progr, Bandung, pp 40
- Gustafson LB, Hunt JP (1975) The porphyry copper deposit at El Salvador, Chile. *Econ Geol* 70: 857-912
- Haffty J, Noble DC (1972) Release and migration of molybdenum during the primary crystallization of peralkaline silicic volcanic rocks. *Econ Geol* 67: 768-775
- Hall A (1971) Greisenisation in the granite of Cligga Head, Cornwall. *Proc Geol Assoc* 82: 209-230
- Hall A (1974) Granite porphyries in Cornwall. *Proc Ussher Soc* 3: 145-149
- Hall A (1990) Geochemistry of the Cornubian tin province. *Mineral Deposita* 25: 1-6
- Halliday AN (1980) The timing of early and main stage ore mineralization in southwest Cornwall. *Econ Geol* 75: 752-759
- Hamaguchi H, Kuroda R, Onuma N, Kawabuchi K, Mitsubayashi T, Hosohara K (1964) The geochemistry of tin. *Geochim Cosmochim Acta* 28: 1039-1053
- Hamaguchi H, Kuroda R (1969) Tin. In: Wedepohl KH (ed) *Handbook of geochemistry*, Vol. II/4. Springer, Berlin Heidelberg, 50-B-1 to 50-M-5
- Hanus D (1982) The Colquiri tin deposit: a contribution to its genesis. In: Amstutz GC, El Goresy A, Frenzel G, Kluth C, Moh G, Wauschkuhn A, Zimmermann RA (eds) *Ore genesis: the state of the art*. Springer, Berlin Heidelberg New York Tokyo, pp 308-316
- Hards N (1978) Distribution of elements between the fluid phase and silicate melt phase of granites and nepheline syenites. *NERC Prog Exp Petr* 5 (4): 88-90
- Haselton HT Jr, D'Angelo WM (1986) Tin and tungsten solubilities (500-700 °C, 1 kbar) in the presence of a synthetic quartz monzonite. *Eos* 67: 388
- Hawkesworth CJ, Hammill M, Gledhill AR, Calsteren P van, Rogers G (1982) Isotope and trace element evidence for late-stage intra-crustal melting in the High Andes. *Earth Planet Sci Lett* 58: 240-254
- Haynes FM, Titley SR (1980) The evolution of fracture-related permeability within the Ruby Star Granodiorite, Sierrita porphyry copper deposit, Pima County, Arizona. *Econ Geol* 75: 673-683
- Hegel GWF (1807) System der Wissenschaft. Erster Theil, die Phänomenologie des Geistes. Goebhardt, Bamberg, 767 pp
- Heidrick TL, Titley SR (1982) Fracture and dike patterns in Laramide plutons and their structural and tectonic implications. In: Titley SR (ed) *Advances in geology of the porphyry copper deposits*. Univ. Arizona Press, Tucson, pp 73-91
- Heinrich CA (1990) The chemistry of hydrothermal tin-tungsten ore deposition. Mscr (submitted to Econ Geol), 55 pp
- Heinrich CA, Eadington PJ (1986) Thermodynamic predictions of the hydrothermal chemistry of arsenic, and their significance for the paragenetic sequence of some cassiterite-arsenopyrite-base metal sulfide deposits. *Econ Geol* 81: 511-529

- Heinrich CA, Jaireth S (1989) Fluid buffering and wall rock interaction in the chemical evolution of granite-related tin-tungsten veins. 28th Int Geol Congr Washington, Abstr 2: 47-48
- Helgeson HC, Delaney JM, Nesbitt HW, Bird DK (1978) Summary and critique of the thermodynamic properties of rock-forming minerals. Am J Sci 278-A: 1-229
- Helmcke D (1985) The Permo-Triassic "Paleotethys" in mainland Southeast-Asia and adjacent parts of China. Geol Rdsch 74: 215-228
- Hemley JJ, Jones WR (1964) Chemical aspects of hydrothermal alteration with emphasis on hydrogen metasomatism. Econ Geol 59: 538-569
- Herzenberg R (1936) Colloidal tin ore deposits. Econ Geol 31: 761-766
- Hewitt DA (1978) A redetermination of the fayalite-magnetite-quartz equilibrium between 650 and 850 °C. Am J Sci 278: 715-724
- Higgins NC, Sun SS (1988) Radiogenic tracers of hydro-thermal fluids in tin-tungsten ore systems. Extended Abstr, 5th Int Symp Tin/Tungsten Granites in Southeast Asia and the Western Pacific, Oct 17-19, 1988. Shimane Univ, Matsue, pp 43-47
- Higgins NC, Solomon M, Varne R (1985) The genesis of the Blue Tier batholith, northeastern Tasmania, Australia. Lithos 18: 129-149
- Higgins NC, Forsythe DL, Sun SS, Andrew AS (1987) Fluid and metal sources in the Mt Carbine tungsten deposit, North Queensland, Australia. Proc Pacific Rim Congress, 26-29 Aug 1987. Australasian Inst Metall, Gold Coast, pp 173-177
- Hildreth W (1979) The Bishop Tuff: evidence for the origin of compositional zonation in silicic magma chambers. Geol Soc Am Spec Pap 180: 43-75
- Hildreth W (1981) Gradients in silicic magma chambers: implications for lithospheric magmatism. J Geophys Res 86: 10153-10192
- Hildreth W, Moorbat S (1988) Crustal contributions to arc magmatism in the Andes of Central Chile. Contrib Mineral Petrol 98: 455-489
- Hine R, Williams IS, Chappell BW, White AJR (1978) Contrasts between I- and S-type granitoids of the Kosciusko batholith. J Geol Soc Australia 25: 219-234
- Hirschwald W, Knacke O, Reinitzer P (1957) Thermodynamische Daten und Gleichgewichtsdiagramme metallurgischer Systeme. Erzmetall 10: 123-127
- Holden P, Halliday AN, Stephens WE (1987) Neodymium and strontium isotope content of microdiorite enclaves points to mantle input to granitoid production. Nature <London> 330: 53-56
- Holder MT, Leveridge BE (1986) A model for the tectonic evolution of south Cornwall. J Geol Soc London 143: 125-134
- Holland HD (1972) Granites, solutions, and base metal deposits. Econ Geol 67: 281-301
- Holloway JR (1976) Fluids in the evolution of granitic magmas - consequences of finite CO₂ solubility. Geol Soc Am Bull 87: 1513-1518
- Hudson T, Arth JG (1983) Tin granites of Seward Peninsula, Alaska. Geol Soc Am Bull 94: 768-790
- Hudson T, Smith JG, Elliott RL (1979) Petrology, composition, and age of intrusive rocks associated with the Quartz Hill molybdenite deposit, southeastern Alaska. Can J Earth Sci 16: 1805-1822

- Hudson T, Arth JG, Muth KG (1981) Geochemistry of intrusive rocks associated with molybdenite deposits, Ketchikan Quadrangle, southeastern Alaska. *Econ Geol* 76: 1225-1232
- Huebner JS, Sato M (1970) The oxygen fugacity-temperature relationships of manganese oxide and nickel oxide buffers. *Am Mineral* 55: 934-952
- Humboldt A von (1823a) *Essai géognostique sur le gisement des roches dans les deux hémisphères*. Levrault, Strasbourg, 364 pp
- Humboldt A von (1823b) *Geognostischer Versuch über die Lagerung der Gebirgsarten in beiden Erdhälften*. Deutsch bearbeitet von Karl Cäsar Ritter von Leonhard. Levrault, Straßburg, 383 pp
- Hunter DR (1973) The localization of tin mineralization with reference to southern Africa. *Minerals Sci Engng* 5: 53-77
- Hurley PM, Rand JR (1969) Pre-drift continental nuclei. *Science* 164: 1229-1242
- Huspeni JR, Kesler SE, Ruiz J, Tuta Z, Sutter JF, Jones LM (1984) Petrology and geochemistry of rhyolites associated with tin mineralization in northern Mexico. *Econ Geol* 79: 87-105
- Hutchison CS (1983) Multiple Mesozoic Sn-W-Sb granitoids of southeast Asia. *Geol Soc Amer Mem* 159: 35-60
- Imeokparia EG (1980) Ore-bearing potential of granitic rocks from the Jos-Bukuru Complex, northern Nigeria. *Chem Geol* 28: 69-77
- Imeokparia EG (1984) Geochemistry of the granitic rocks from the Kwandonkaya Complex, northern Nigeria. *Lithos* 17: 103-115
- Imeokparia EG (1986a) Geochemical evolution of the metaluminous and peraluminous granites of Ganawuri Younger Granite Complex, northern Nigeria. *J Afr Earth Sci* 5: 193-200
- Imeokparia EG (1986b) The geochemistry and petrogenesis of rocks of the Buji Younger Granite Complex, northern Nigeria. *Chem Erde* 45: 301-320
- Ingham FT, Bradford EF (1960) The geology and mineral resources of the Kinta Valley, Perak. *Geol Surv Malaysia, District Mem* 9: 1-347
- Isaacson PE (1975) Evidence for a western extracontinental land source during the Devonian period in the Central Andes. *Geol Soc Am Bull* 86: 39-46
- Ishihara S (1967) Molybdenum mineralization at Questa Mine, New Mexico, USA. *Geol Surv Japan Report* 218: 1-64
- Ishihara S (1977) The magnetite-series and ilmenite-series granitic rocks. *Min Geol* 27: 293-305
- Ishihara S (1981) The granitoid series and mineralization. *Econ Geol*, 75th Anniv Vol, pp 458-484
- Ishihara S, Sawata H, Arpornsuwan S, Busaracome P, Bungbrakearti N (1979) The magnetite-series and ilmenite-series granitoids and their bearing on tin mineralization, particularly of the Malay Peninsula region. *Geol Soc Malaysia Bull* 11: 103-110
- Ishihara S, Ulriksen CE, Sato K, Terashima S, Sato T, Endo Y (1984) Plutonic rocks of north-central Chile. *Geol Surv Japan Bull* 35: 503-536
- ITC (1967) Statistical yearbook 1966. Int Tin Counc, The Hague, 281 pp
- ITRDC (1938) Statistical yearbook 1938. Int Tin Res Develop Counc, The Hague, 206 pp
- Jackson KJ, Helgeson HC (1985a) Chemical and thermodynamic constraints on the hydrothermal transport and deposition of tin: I. Calculation of

- the solubility of cassiterite at high pressures and temperatures. *Geochim Cosmochim Acta* 49: 1-22
- Jackson KJ, Helgeson HC (1985b) Chemical and thermodynamic constraints on the hydrothermal transport and deposition of tin: II. Interpretation of phase relations in the Southeast Asian tin belt. *Econ Geol* 80: 1365-1378
- Jackson NJ, Halliday AN, Sheppard SMF, Mitchell JG (1982) Hydrothermal activity in the St Just mining district, Cornwall, England. In: Evans AM (ed) *Mineralization associated with acid magmatism*. Wiley, New York, pp 137-179
- Jacobsen SB (1988) Isotopic and chemical constraints on mantle-crust evolution. *Geochim Cosmochim Acta* 52: 1341-1350
- Jacobson HS, Pierson CT, Danusawad T, Japakasetr T, Ithuputi B, Sirirat-anamaongkol C, Prapassornkul S, Pholphan N (1969) Mineral investigations in northeastern Thailand. *US Geol Surv Prof Pap* 618: 1-96
- Jahns RH, Burnham CW (1969) Experimental studies of pegmatite genesis: I. A model for the derivation and crystallization of granitic pegmatites. *Econ Geol* 64: 843-864
- James RS, Hamilton DL (1969) Phase relations in the system $\text{NaAlSi}_3\text{O}_8$ - KAlSi_3O_8 - $\text{CaAl}_2\text{Si}_2\text{O}_8$ - SiO_2 at 1 kb water vapour pressure. *Contrib Miner Petr* 21: 111-141
- Jankovic S (1972) The origin of base-metal mineralization on the mid-Atlantic ridge (based upon the pattern of Iceland). *Abstr, 24th Int Geol Congr Montreal, Sect 4:* 326-334
- Jaskolski S (1960) Beitrag zur Kenntnis über die Herkunft der Zinnlagerstätten von Gierczyn (Giehren) im Iser-Gebirge, Niederschlesien. *N Jb Miner Abh* 94: 181-190
- Jaskolski S (1962) Erwägungen über die Genese zinnführender Schiefer im Isergebirge (Niederschlesien). *Polska Akad Nauk, Prace Geol* 12: 33-53
- Johnson CM, Lipman PW (1988) Origin of metaluminous and alkaline volcanic rocks of the Latir volcanic field, northern Rio Grande rift, New Mexico. *Contrib Mineral Petrol* 100: 107-128
- Johnston WD (1965) Oxidation-reduction equilibria in molten $\text{Na}_2\text{O} \cdot 2\text{SiO}_2$ glass. *J Amer Ceramic Soc* 48: 184-190
- Jones MT, Reed BL, Doe BR, Lanphere MA (1977) Age of tin mineralization and plumbotectonics, Belitung, Indonesia. *Econ Geol* 72: 745-752
- Jones WR, Henton RM, Moore SL (1967) General geology of Santa Rita Quadrangle, Grant County, New Mexico. *US Geol Surv Prof Pap* 555: 1-144
- Just G, Schilka W, Seltmann R (1987) INAA investigations in tin-bearing granites of the Altenberg and Sadisdorf ore deposits. 4th Meeting on Nuclear Analytical Methods, Dresden May 4-8, 1987, Proc 1: 242-251
- Karsten DLG (1806) Über das Alter der Metalle. Eine Vorlesung gehalten in der öffentlichen Sitzung der Philomatischen Gesellschaft zu Berlin am 3ten April 1806. *Gilberts Annal Physik* 1806 (5): 1-21
- Keith JD, Shanks III WC (1988) Chemical evolution and volatile fugacities of the Pine Grove porphyry molybdenum and ash-flow tuff system, southwestern Utah. In: Taylor RP, Strong DF (eds) *Recent advances in the geology of granite-related mineral deposits*. Can Inst Min Metal, Spec Vol 39: 402-423

- Keith SB (1984) Magma series and mineral deposits. *MagmaChem*, Phoenix, 111 pp
- Kelly WC, Rye RO (1979) Geologic, fluid inclusion, and stable isotope studies of the tin-tungsten deposits of Panasqueira, Portugal. *Econ Geol* 74: 1721-1822
- Kelly WC, Turneaure FS (1970) Mineralogy, paragenesis and geothermometry of the tin and tungsten deposits of the Eastern Andes, Bolivia. *Econ Geol* 65: 609-680
- Kinnaird JA (1985) Hydrothermal alteration and mineralization of the alkaline anorogenic ring complexes of Nigeria. *J Afr Earth Sci* 3: 229-251
- Kilinc IA, Burnham CW (1972) Partitioning of chloride between a silicate melt and coexisting aqueous phase from 2 to 8 kilobars. *Econ Geol* 67: 231-235
- Kilinc A, Carmichael ISE, Rivers ML, Sack RO (1983) The ferric-ferrous ratio of natural silicate liquids equilibrated in air. *Contrib Mineral Petrol* 83: 136-140
- Klerkx J, Deutsch S, Pichler H, Zeil W (1977) Strontium isotopic composition and trace element data bearing on the origin of Cenozoic volcanic rocks of the Central and Southern Andes. *J Volcanol Geotherm Res* 2: 49-71
- Klintsova AP, Barsukov VL (1973) Solubility of cassiterite in water and in aqueous NaOH solutions at elevated temperatures. *Geochem Intern* 1973: 540-547 (translated from *Geokhimiya* 1973, 5: 701-709)
- Kolbe P (1966) Geochemical investigation of the Cape Granite, south-western Cape Province, South Africa. *Transact Geol Soc S Afr* 69: 161-199
- Kolbe P, Taylor SR (1966a) Geochemical investigation of the granitic rocks of the Snowy Mountains area, New South Wales. *J Geol Soc Australia* 13: 1-25
- Kolbe P, Taylor SR (1966b) Major and trace element relationships in granodiorites and granites from Australia and South Africa. *Contrib Mineral Petrol* 12: 202-222
- Kontak DJ, Clark AH, Farrar E, Strong DF (1984) The rift-associated Permo-Triassic magmatism of the Eastern Cordillera: a precursor to the Andean orogeny. In: Pitcher WS, Atherton MP, Cobbing EJ, Beckinsale RD (eds) *Magmatism at a plate edge: the Peruvian Andes*. Blackie, London, pp 36-44
- Kormilicyn VS (1987) Über die Genese und die metallo-genetische Bedeutung der Sulfid-Kassiterit-Vererzung des "Felsithorizonts" im Erzgebirge (DDR). *Geol Wiss* 15: 599-618
- Kovalenko VI, Ryabchikov ID, Bogatikov OA (1984) Problems of ore-mineralization with acidic magmatism. In: *Proceedings of the Sixth Quadrennial IAGOD Symposium*. Schweizerbart, Stuttgart, pp 369-374
- Kovalenko VI, Ryzhenko BN, Barsukov VL, Klintsova AP, Velyukhanova TK, Volynets MP, Kitayeva LP (1986) The solubility of cassiterite in HCl and HCl + NaCl (KCl) solutions at 500 °C and 1000 atm under fixed redox conditions. *Geochem Intern* 23, 7: 1-16 (translated from *Geokhimiya* 1986, 2: 190-205)
- Kovalenko VI, Ryabchikov ID, Antipin VS (1988) Temperature dependence of the distribution coefficients for Sn, W, Pb, and Zn in magmatic systems. *Geochem Intern* 25, 1: 1-10 (translated from *Geokhimiya* 1987, 6: 755-764)

- Kozlowski A (1978) Pneumatolytic and hydrothermal activity in the Karkonosze-Izera block. *Acta Geol Polon* 28: 171-222
- Kozlowski A, Karwowski L (1975) Genetyczne wskazniki mineralizacji W-Sn-Mo na obszarze karkonosko-izerskim (with English summary). *Kwart Geol* 19(1): 67-73
- Kozlowski A, Karwowski L, Olszynski W (1975) Tungsten-tin-molybdenum mineralization in the Karkonosze massif. *Acta Geol Polon* 25: 415-430
- Kress VC, Carmichael ISE (1988) Stoichiometry of the iron oxidation reaction in silicate melts. *Am Mineral* 73: 1267-1274
- Kudrin AV (1989) Behavior of Mo in aqueous NaCl and KCl solutions at 300-450 °C. *Geochem Intern* 26, 8: 87-99 (translated from *Geokhimiya* 1989, 1: 99-112)
- Kussmaul S, Hörmann PK, Ploskonka E, Subieta T (1977) Volcanism and structure of southwestern Bolivia. *J Volcanol Geotherm Res* 2: 73-111
- Kwak TAP (1987) W-Sn skarn deposits and related metamorphic skarns and granitoids. Elsevier, Amsterdam, 451 pp
- Laffitte P, Permingeat F, Routhier P (1965) Cartographie métallogénique, métallotecte, géochimie régionale. *Bull Soc Franç Minér Crist* 88: 3-6
- Lange H, Tischendorf G, Pälchen W, Klemm I, Ossenkopf W (1972) Fortschritte der Metallogenie im Erzgebirge. B. Zur Petrographie und Geochemie der Granite des Erzgebirges. *Geologie* 21: 457-489
- Langmuir CH (1989) Geochemical consequences of in situ crystallization. *Nature <London>* 340: 199-205
- Lanier G, John EC, Swensen AJ, Reid J, Bard CE, Caddey SW, Wilson JC (1978) General geology of the Bingham Mine, Bingham Canyon, Utah. *Econ Geol* 77: 50-59
- Launay L de (1913) *Traité de métallogénie. Gîtes minéraux et métallifères. Tome 2.* Béranger, Paris, 801 pp
- Lebedev LM (1967) Metacolloids in endogenic deposits. Plenum, New York, 298 pp
- Lehmann B (1979) Schichtgebundene Sn-Lagerstätten in der Cordillera Real/Bolivien. *Berliner Geowiss Abh A* 14: 1-135
- Lehmann B (1982) Metallogeny of tin: magmatic differentiation versus geochemical heritage. *Econ Geol* 77: 50-59
- Lehmann B (1985) Formation of the strata-bound Kellhuani tin deposits, Bolivia. *Mineral Deposita* 20: 169-176
- Lehmann B (1987) Tin granites, geochemical heritage, magmatic differentiation. *Geol Rdsch* 76: 177-185
- Lehmann B (1988a) Tin-bearing and tin-barren granites in Central Thailand. Report on the project "Tin-bearing and tin-barren granites, primary tin mineralization in Thailand", Vol 1 (Subproject Central Thailand). Hannover, Bundesanst Geowiss Rohstoffe, 220 pp
- Lehmann B (1988b) Tanjungpandan Pluton, Belitung Island (Indonesia). Report on the project "Tin-bearing and tin-barren granites, primary tin mineralization in Indonesia, Vol. 4 (Subproject Tanjungpandan, Belitung)". Hannover, Bundesanst Geowiss Rohstoffe, 155 pp
- Lehmann B, Harmanto (1990) Large-scale tin depletion in the Tanjungpandan tin granite, Belitung Island, Indonesia. *Econ Geol* 85: 99-111
- Lehmann B, Lavreau J (1987) Tin granites of the northern Kibaran belt, Central Africa (Kivu/Zaire, Rwanda, Burundi). In: Matheis G, Schandelmeier

- H (eds) Current research in African earth sciences. Balkema, Rotterdam, pp 33-36
- Lehmann B, Lavreau J (1988) Geochemistry of tin granites from Kivu (Zaire), Rwanda and Burundi. *IGCP 255 Newslett* 1: 43-46
- Lehmann B, Mahawat C (1989) Metallogeny of tin in central Thailand: a genetic concept. *Geology* 17: 426-429
- Lehmann B, Pichler H (1980) Tin distribution in mid-Andean volcanic rocks. *Mineral Deposita* 15: 35-39
- Lehmann B, Schneider HJ (1981) Strata-bound tin deposits. In: Wolf KH (ed) *Handbook of strata-bound and stratiform ore deposits*, Vol 9. Elsevier, Amsterdam, pp 743-771
- Lehmann B, Petersen U, Santivanez R, Winkelmann L (1988) Distribución geoquímica de estadio y boro en la secuencia paleozoica inferior de la Cordillera Real de Bolivia. *Bol Soc Geol Perú* 77: 19-27
- Lehmann JG (1751) Kurtze Einleitung in einige Theile der Bergwerks-Wissenschaft. Anfängern zum Besten. Nicolai, Berlin, 192 pp
- Lehmann JG (1753) Abhandlung von den Metall-Müttern und der Erzeugung der Metalle aus der Naturlehre und Bergwerckswissenschaft hergeleitet und mit chymischen Versuchen erwiesen. Nicolai, Berlin, 268 pp
- Le Maitre RW (1976) The chemical variability of some common igneous rocks. *J Petrology* 17: 589-637
- Lenthal DH, Hunter DR (1977) The geochemistry of the Bushveld granites in the Potgietersrus tin-field. *Precambrian Res* 5: 359-400
- Leva M (1959) Fluidization. McGraw-Hill, New York, 327 pp
- Liew TC (1983) Petrogenesis of the peninsular Malaysian granitoid batholiths. Unpubl Ph.D. thesis, Austr Nat Univ, Canberra, 291 pp
- Liew TC, McCulloch MT (1985) Genesis of granitoid batholiths of Peninsular Malaysia and implications for models of crustal evolution: evidence from a Nd-Sr isotopic and U-Pb zircon study. *Geochim Cosmochim Acta* 49: 587-600
- Liew TC, Page RW (1985) U-Pb zircon dating of granitoid plutons from the West Coast province of peninsular Malaysia. *J Geol Soc London* 142: 515-526
- Linnen RL, Williams-Jones AE (1987) Tectonic control of quartz vein orientations at the Trout Lake stockwork molybdenum deposit, southeastern British Columbia: implications for metallogeny in the Kootenay Arc. *Econ Geol* 82: 1283-1293
- Lipman PW (1971) Iron-titanium oxide phenocrysts in compositionally zoned ash-flow sheets from southern Nevada. *J Geol* 79: 438-456
- Lipman PW (1988) Evolution of silicic magma in the upper crust: the mid-Tertiary Latir volcanic field and its cogenetic granitic batholith, northern New Mexico, USA. *Transact R Soc Edinburgh, Earth Sci* 79: 265-288.
- Little W (1960) Inclusions in cassiterite and associated minerals. *Econ Geol* 55: 485-509
- Liu Yingjun, Zhang Jingrong, Sun Chengyuan, Ma Dongsheng, Qiao Enguang, Chen Jun (1984) The geochemical characteristics of trace elements in granitic rocks of South China. *Proc Int Symp Geology of Granites and their metallogenetic Relations*, Nanjing, Oct 26-30, 1982. Sci Press, Beijing, pp 753-770

- London D (1986) Magmatic-hydrothermal transition in the Tanco rare-element pegmatite: evidence from fluid inclusions and phase-equilibrium experiments. *Am Mineral* 71: 376-395
- London D, Hervig RL, Morgan GB VI (1988) Melt-vapor solubilities and elemental partitioning in peraluminous granite-pegmatite systems: experimental results with Macusani glass at 200 MPa. *Contrib Mineral Petrol* 99: 360-373
- Lorenz W, Schirn R (1987) Mylonite, Diaphthorite und epigenetische Zinnmineralisation in der Felsitzone nordwestlich von Freiberg, Erzgebirge. *Z Geol Wiss* 15: 565-597
- Loss RD, Rosman KKR, De Laeter JR (1989) The solar system abundance of tin. *Geochim Cosmochim Acta* 53: 933-935
- Luth WC (1969) The system $\text{NaAlSi}_3\text{O}_8\text{-SiO}_2$ and $\text{KAISi}_3\text{O}_8\text{-SiO}_2$ to 20 kb and the relationship between H_2O content, $p_{\text{H}_2\text{O}}$, and p_{total} in granitic magmas. *Am J Sci* 267-A: 325-341
- Luth WC, Jahns RH, Tuttle OF (1964) The granite system at pressures of 4 to 10 kilobars. *J Geophys Res* 69: 759-773
- MacAlister DA (1908) Geological aspect of the lodes of Cornwall. *Econ Geol* 3: 363-380
- MacLeod WN, Turner DC, Wright EP (1971) The geology of the Jos Plateau. Vol 1. General geology. *Bull Geol Surv Nigeria* 32: 1-110
- Magak'yan IG (1968) Ore deposits: tin. *Int Geol Rev* 10: 108-121
- Mahood G, Hildreth W (1983) Large partition coefficients for trace elements in high-silica rhyolites. *Geochim Cosmochim Acta* 47: 11-30
- Manning DAC (1981) The effect of fluorine on liquidus phase relationships in the system Qz-Ab-Or with excess water at 1 kbar. *Contrib Mineral Petrol* 76: 206-215
- Manning DAC, Henderson P (1984) The behaviour of tungsten in granitic melt-vapour systems. *Contrib Mineral Petrol* 86: 286-293
- Manning DAC, Pichavant M (1984) Experimental studies of the role of fluorine and boron in the formation of late-stage granitic rocks and associated mineralisation. *Proc 27th Int Geol Congr Moscow (Utrecht, VNU Sci Press)* 9: 353-372
- Manning DAC, Pichavant M (1988) Volatiles and their bearing on the behaviour of metals in granitic systems. In: Taylor RP, Strong DF (eds) Recent advances in the geology of granite-related mineral deposits. *Can Inst Min Metall Spec Vol* 39: 13-24
- Marsh B (1987) Magmatic processes. *Rev Geophysics* 25: 1043-1053
- Martin JS (1983) An experimental study of the effects of lithium on the granite system. *Proc Ussher Soc* 5: 417-420
- Martinez C (1980) Structure et évolution de la chaîne Hercynienne et de la chaîne Andine dans le nord de la Cordillère des Andes de Bolivie. *Trav Docum ORSTOM <Paris>* 119: 1-352
- Mason DR, McDonald JA (1978) Intrusive rocks and porphyry copper occurrences of the Papua New Guinea-Solomon Islands region: a reconnaissance study. *Econ Geol* 73: 857-877
- Matheis G, Caen-Vachette M (1983) Rb-Sr isotopic study of rare-metal bearing and barren pegmatites in the Pan-African reactivation zone of Nigeria. *J Afr Earth Sci* 1: 35-40
- Maucher A (1965) Die Antimon-Wolfram-Quecksilber-Formation und ihre Beziehungen zu Magmatismus und Geotektonik. *Freiberger Forschungsh C* 186: 173-188

- McBride SL, Robertson RCR, Clark AH, Farrar E (1983) Magmatic and metallogenetic episodes in the northern tin belt, Cordillera Real, Bolivia. *Geol Rdsch* 72: 685-713
- McCallum ME (1985) Experimental evidence for fluidization processes in breccia pipe formation. *Econ Geol* 80: 1523-1543
- McCarthy TS, Cawthorn RG (1980) Changes in initial $^{87}\text{Sr}/^{86}\text{Sr}$ ratio during protracted fractionation in igneous complexes. *J Petrol* 21: 245-264
- McCarthy TS, Groves DI (1979) The Blue Tier batholith, northeastern Tasmania: a cumulate-like product of fractional crystallization. *Contrib Mineral Petrol* 71: 193-209
- McCarthy TS, Hasty RA (1976) Trace element distribution patterns and their relationship to the crystallization of granitic melts. *Geochim Cosmochim Acta* 40: 1351-1358
- McCulloch MT, Chappell BW (1982) Nd isotopic characteristics of S- and I-type granites. *Earth Planet Sci Lett* 58: 51-64
- McKenzie WF, Helgeson HC (1985) Phase relations among silicates, copper iron sulfides, and aqueous solutions at magmatic temperatures. *Econ Geol* 80: 1965-1973
- McNutt RH, Clark AH (1983) Implications of the initial strontium isotope ratios of Central Andean, Triassic-to-Quaternary, igneous rocks in N Chile, S Peru and NW Bolivia. *Eos (Transact Am Geophys Union)* 64: p 329
- McNutt RH, Crocket JH, Clark AH, Caelles JC, Farrar E, Haynes SJ, Zentilli M (1975) Initial $^{87}\text{Sr}/^{86}\text{Sr}$ ratios of plutonic and volcanic rocks of the central Andes between latitudes 26° and 29° South. *Earth Planet Sci Lett* 27: 305-313
- MCS (1990) Mineral commodity summaries 1990. Minerals Inform Office (US Bureau Mines/US Geol Surv), Washington, 200 pp
- Metallgesellschaft (1965) Statistische Zusammenstellungen über Aluminium, Blei, Kupfer, Zink, Zinn, Kadmium, Magnesium, Nickel, Quecksilber und Silber. Metallgesellschaft, Frankfurt, 264 pp
- Metallgesellschaft (1976) Metallstatistik 1965-1975. Metallgesellschaft, Frankfurt, 362 pp
- Metallgesellschaft (1989) Metallstatistik 1978-1988. Metallgesellschaft, Frankfurt, 480 pp
- Meyer C (1985) Ore metals through geologic history. *Science* 227: 1421-1428
- Michael PJ (1983) Chemical differentiation of the Bishop Tuff and other high silica magma chambers through crystallization processes. *Geology* 11: 31-34
- Michel H, Schneider HJ (1978) Uranvorkommen im Zusammenhang mit den tertiären Vulkaniten des lateinamerikanischen Kordillerenzuges. *Erzmetall* 31: 1-8
- Miller CF, Mittelfeldt DW (1984) Extreme fractionation in felsic magma chambers: a product of liquid-state diffusion or fractional crystallization? *Earth Planet Sci Lett* 68: 151-158
- Miller JF (1988) Granite petrogenesis in the Cordillera Real, Bolivia and crustal evolution in the Central Andes. Unpubl Ph.D. thesis, Milton Keynes, Open Univ, 198 pp
- Miller JF, Harris NBW (1989) Evolution of continental crust in the Central Andes; constraints from Nd isotope systematics. *Geology* 17: 615-617
- Mining Journal (1990) Neves-Corvo tin inauguration. *Min Journ* 314:289

- Mitchell AHG (1974) Southwest England granites: magmatism and tin mineralization in a post-collision tectonic setting. *Transact Instn Min Metall* 83: B95-B97
- Mitchell AHG (1977) Tectonic settings for emplacement of southeast Asian tin granites. *Bull Geol Soc Malaysia* 9: 123-140
- Möller P (1989) REE(Y), Nb, and Ta enrichment in pegmatites and carbonatite-alkalic rock complexes. In: Möller P, Cerny P, Saup, F (eds) Lanthanides, tantalum and niobium. Mineralogy, geochemistry, characteristics of primary ore deposits, prospecting, processing and applications. Proceedings of a workshop in Berlin, November 1986. Springer, Berlin Heidelberg New York, pp 103-144
- Möller P, Dulski P (1983) Fractionation of Zr and Hf in cassiterite. *Chem Geol* 40: 1-12
- Moon KJ (1988) Sangdong tungsten ore deposits. Guidebook post-Symp Field Conf IGCP 220, Oct 21-23, 1988. Seoul, Korean Organizing Committ 5th Symp IGCP 220, pp 71-87
- Moon KJ (1989) Discovery of source rock of Sangdong tungsten mineralization. 28th Int Geol Congr, Washington, Abstr 2: 454
- Moore WJ (1978) Chemical characteristics of hydrothermal alteration at Bingham, Utah. *Econ Geol* 63: 612-621
- Moore WJ, Lanphere MA, Obradovich JD (1968) Chronology of intrusion, volcanism, and ore deposition at Bingham, Utah. *Econ Geol* 63: 612-621
- Morgan JW, Anders E (1980) Chemical composition of Earth, Venus, and Mercury. *Proc Natl Acad Sci USA* 77: 6973-6977
- Mosch E, Becker M (1985) Largest cassiterite flotation plant in the world under test operation at Altenberg (GDR). *Min Mag* 1985: 531-537
- Mulligan R (1975) Geology of Canadian tin occurrences. *Geol Surv Canada, Econ Geol Report* 28: 1-155
- Musselwhite DS, DePaolo DJ, McCurry M (1989) The evolution of a silicic magma system: isotopic and chemical evidence from the Woods Mountains volcanic center, eastern California. *Contrib Mineral Petrol* 101: 19-29
- Mysen BO, Virgo D, Seifert FA (1985) Relationships between properties and structure of aluminosilicate melts. *Am Mineral* 70: 88-105
- Mysen BO, Virgo D (1989) Redox equilibria, structure, and properties of Fe-bearing aluminosilicate melts: relationships among temperature, composition, and oxygen fugacity in the system Na₂O-Al₂O₃-SiO₂-Fe-O. *Am Mineral* 74: 58-76
- Nakapadungrat S, Chulacharit N, Munthachit Y, Chotigkrai T, Sangsila S (1984a) Geology of Sn-W granites in Takua Pa area, southern Thailand. Paper presented at: Int Symp Geology of Tin Deposits, 27 Oct-8 Nov, 1984, Nanning/China, 34 pp. Abstr in: Report on the Int Symp Geol Tin Deposits. Bandung, ESCAP Regional Mineral Resour Develop Cent, p 96
- Nakapadungrat S, Beckinsale RD, Suensilpong S (1984b) Geochronology and geology of Thai granites. Proc Conf Applications of Geology and the National Development, 19-22 Nov 1984. Chulalongkorn Univ, Bangkok, pp 75-93
- Neiva AMR (1975) Geochemistry of coexisting aplites and pegmatites and of their minerals from central northern Portugal. *Chem Geol* 16: 153-177

- Neiva AMR (1976) The geochemistry of biotites from granites of northern Portugal with special reference to their tin content. *Mineral Mag* 40: 453-466
- Neiva AMR (1982) Geochemistry of muscovite and some physico-chemical conditions of the formation of some tin-tungsten deposits in Portugal. In: Evans AM (ed) *Metallization associated with acid magmatism*. Wiley, Chichester, pp 243-259
- Neiva AMR (1984) Geochemistry of tin-bearing granitic rocks. *Chem Geol* 43: 241-256
- Nekrasov IY (1984) Tin in magmatic and postmagmatic processes. Nedra, Moscow (in Russian)
- Nekrasov IY, Epel'baum MB, Sobolev VP (1981) Study of the model system granite-SnO(SnO₂)-fluid: Tin content of quartz-albite melt as a function of oxygen fugacity ($f\text{O}_2$). *Dokl Earth Sci Sect* 247: 220-223 (translated from *Dokl Akad Nauk SSSR* 247: 696-699, 1979)
- Nekrasov IY, Epel'baum MB, Sobolev VP (1982) Partition of tin between melt and chloride fluid in the granite-SnO-SnO₂-fluid system. *Dokl Earth Sci Sect* 252: 165-168 (translated from *Dokl Akad Nauk SSSR* 252: 977-981, 1980)
- Neumann H, Mead J, Vitaliano CJ (1954) Trace element variation during fractional crystallization as calculated from the distribution law. *Geochim Cosmochim Acta* 6: 90-99
- Newsom HE, Palme H (1984) The depletion of siderophile elements in the Earth's mantle: new evidence from molybdenum and tungsten. *Earth Planet Sci Lett* 69: 354-364
- Niggli P (1920) Die leichtflüchtigen Bestandteile im Magma. Teubner, Leipzig, 272 pp
- Noble DC, Sargent KA, Mehnert HH, Eken EB, Byers FM Jr (1968) Silent Canyon volcanic center, Nye County, Nevada. *Geol Soc Am Mem* 110: 65-74
- Noble DC, Vogel TA, Peterson PS, Landis GP, Grant NK, Jezek PA, McKee EH (1984) Rare-element enriched, S-type ash-flow tuffs containing phenocrysts of muscovite, andalusite, and sillimanite, southeastern Peru. *Geology* 12: 35-39
- Norton D (1988) Metasomatism and permeability. *Am J Sci* 288: 604-619
- Norton D, Knapp R (1977) Transport phenomena in hydrothermal systems: the nature of porosity. *Am J Sci* 277: 913-936
- Norton D, Knight J (1977) Transport phenomena in hydrothermal systems: cooling plutons. *Am J Sci* 277: 937-981
- Norton D, Taylor JP Jr (1979) Quantitative simulation of the hydrothermal systems of crystallizing magmas on the basis of transport theory and oxygen isotope data: an analysis of the Skaergaard Intrusion. *J Petrol* 20: 421-486
- Olade MA (1980) Geochemical characteristics of tin-bearing and tin-barren granites, northern Nigeria. *Econ Geol* 75: 71-82
- Omer-Cooper WRB, Hewitt WV, Wees H van (1974) Exploration for cassiterite-magnetite-sulphide veins on Belitung, Indonesia. Proc 4th World Conf Tin, Kuala Lumpur, pp 97-119
- Osberger R (1962) Petaq geologi dari pulau Belitung. Skala 1:100000 (Geological map of Belitung Island. Scale 1:100,000). P.T.Timah, Kelapa Kampit, 1 sheet

- Osborn EF (1979) The reaction principle. In: Yoder HS (ed) The evolution of the igneous rocks. Fiftieth anniversary perspectives. Princeton Univ Press, Princeton, pp 133-169
- Pälchen W, Rank G, Lange H, Tischendorf G (1987) Regionale Clarkewerte - Möglichkeiten und Grenzen ihrer Anwendung am Beispiel des Erzgebirges (DDR). *Chem Erde* 47: 1-17
- Pan YS (1974) The genesis of the Mexican-type tin deposits in acid volcanics. Ph.D. thesis, Columbia Univ., Univ Microfilms Int, Ann Arbor, 286 pp
- Pankhurst RJ, Hole MJ, Brook M (1988) Isotope evidence for the origin of Andean granites. *Transact R Soc Edinburgh, Earth Sci* 79: 123-133
- Patterson DJ, Ohmoto H, Solomon M (1981) Geologic setting and genesis of cassiterite-sulfide mineralization at Renison Bell, western Tasmania. *Econ Geol* 76: 393-438
- Pearce JA, Harris NBW, Tindle AG (1984) Trace element discrimination diagrams for the tectonic interpretation of granitic rocks. *J Petrol* 25: 956-983
- Pei Rongfu, Mao Jingwen (1988) On petro-minerogenetic models of tin-tungsten granite in South China. Extended Abstr, 5th Int Symp Tin-Tungsten Granites in Southeast Asia and the western Pacific, Oct 17-19, 1988. Shimane Univ, Matsue, pp 124-128
- Petersen U (1979) Metallogenesis in South America: progress and problems. *Episodes* 4: 3-11
- Petascheck WE (1933) Die Erzlagerstätten des Schlesischen Gebirges. *Archiv Lagerstättenforschung* 59: 1-53
- Petrova ZI, Legeydo VA (1965) Geochemistry of tin in the magmatic process. *Geochem Intern* 2: 301-307 (translated from *Geokhimiya* 1965, 4: 482-489)
- Pichavant M (1981) An experimental study of the effect of boron on a water saturated haplogranite at 1 kbar pressure. Geological applications. *Contrib Mineral Petrol* 76: 430-439
- Pichavant M, Valencia Herrera J, Boulmier S, Briqueu L, Joron JL, Juteau M, Marin L, Michard A, Sheppard SMF, Treuil M, Vernet M (1987) The Macusani glasses, SE Peru: evidence of chemical fractionation in peraluminous magmas. In: Mysen BO (ed) Magmatic processes: physicochemical principles. *Geochem Soc, Spec Publ* 1: 359-373
- Pichavant M, Kontak DJ, Valencia Herrera J, Clark AH (1988a) The Miocene-Pliocene Macusani volcanics, SE Peru. I. Mineralogy and magmatic evolution of a two-mica aluminosilicate-bearing ignimbrite suite. *Contrib Mineral Petrol* 100: 300-324
- Pichavant M, Kontak DJ, Briqueu L, Valencia Herrera J, Clark AH (1988b) The Miocene-Pliocene Macusani volcanics, SE Peru. II. Geochemistry and origin of a felsic peraluminous magma. *Contrib Mineral Petrol* 100: 325-338
- Pichler H, Zeil W (1969) Die quartäre "Andesit"-Formation in der Hochkordillere Nord-Chiles. *Geol Rdsch* 58: 866-903
- Pichler H, Zeil W (1972) Paleozoic and Mesozoic ignimbrites of northern Chile. *N Jb Miner Abh* 116: 196-207
- Pitcher WS (1979) The nature, ascent and emplacement of granite magmas. *J Geol Soc London* 136: 627-662
- Pitcher WS (1987) Granites and yet more granites forty years on. *Geol Rdsch* 76: 51-79

- Pitfield PEJ (1987) South-East Asia Granite Project: Report on the geochemistry of the Tin Islands granites of Indonesia. British Geol Surv, Overseas Report MP/87/9/R, pp 1-51
- Pitfield PEJ, Cobbing EJ, Mallick DJ, Clarke MCG, Teoh LH (1987) Granite provinces in the Southeast Asian tin belt. Transact, 4th Circum-Pacific Energy and Mineral Resources Conf, Aug 17-22, 1986, Singapore. Circum-Pacific Counc Energy Mineral Res/AAPG, Tulsa, pp 575-589
- Pitfield PEJ, Teoh LH, Cobbing EJ (1990) Two-phase variants and Sn-mineralization in the Main Range Province granites of the Southeast Asian Tin Belt. Bull Geol Soc Malaysia (in press)
- Plimer IR (1980) Exhalative Sn and W deposits associated with mafic volcanism as precursors to Sn and W deposits associated with granites. Mineral Deposita 15: 275-289
- Plimer IR (1987) Fundamental parameters for the formation of granite-related tin deposits. Geol Rdsch 76: 23-40
- Pliny the Elder Plinius Secundus G (1984) Naturalis Historiae/Naturkunde. Bd 33 (Metallurgie). Artemis, München, 226 pp
- Pollard PJ, Taylor RG (1986) Progressive evolution of alteration and tin mineralization: controls by interstitial permeability and fracture-related tapping of magmatic fluid reservoirs in tin granites. Econ Geol 81: 1795-1800
- Polya DA (1988) Efficiency of hydrothermal ore formation and the Panasqueira W-Cu-(Ag)-Sn vein deposit. Nature <London> 333: 838-841
- Priem HNA, Bon EH, Verduren EAT, Bettencourt JS (1989) Rb-Sr chronology of Precambrian crustal evolution in Rondônia (western margin of the Amazon craton), Brazil: J South Am Earth Sci 2: 163-170
- Putthapiban P (1984) Geochemistry, geochronology, and tin mineralization of Phuket granites, Phuket, Thailand. Unpubl Ph.D. thesis, La Trobe Univ, Victoria, 414 pp
- Putthapiban P, Jackson P, Gray CM (1986) The possible age of the maximum tin/tungsten mineralization at Phuket Island, southern Thailand. Proc Int Symp Correlation and Resource Evaluation of Tin-Tungsten Granites in Southeast Asia and the Western Pacific Region, IGCP Project 220, June 30-July 2, 1986, Canberra. Bureau Mineral Resour Record 1986/10, pp 61-62
- Putzer H (1940) Die zinnführende Fahlbandlagerstätte von Giehren am Isergebirge. Z Dtsch Geol Ges 92: 137-158
- Putzer H (1942) Die Zinngrube "Reicher Trost" bei Giehren im Isergebirge. Z Dtsch Geol Ges 94: 37-40
- Raimbault L (1984) Géologie, pétrographie et géochimie des granites et minéralisations associées de la région de Meymac (Haute Corrèze, France). Thèse, École Nat Sup Mines Saint-Étienne, Saint-Étienne, 482 pp
- Rajah SS (1979) The Kinta tinfield, Malaysia. Bull Geol Soc Malaysia 11: 111-136
- Ranchin G (1970) La géochimie de l'uranium et la différenciation granitique dans la province uranifère du Nord-Limousin. Thèse, Univ Nancy, Nancy, 394 pp

- Rapela CW, Shaw DM (1979) Trace and major element models of granitoid genesis in the Pampean Ranges, Argentina. *Geochim Cosmochim Acta* 43: 1117-1129
- Rapela CW, Heaman LM, McNutt RH (1982) Rb-Sr geochronology of granitoid rocks from the Pampean Ranges, Argentina. *J Geol* 90: 574-582
- Rayleigh JWS (1896) Theoretical considerations respecting the separation of gases by diffusion and similar processes. *Philos Mag* 42: 77-107
- Redwood SD (1986) Epithermal precious and base metal mineralisation and related magmatism of the northern Altiplano, Bolivia. Unpubl Ph.D. thesis, Univ Aberdeen, Aberdeen, 229 pp
- Reed BL, Menzie WD, McDermott M, Root DH, Scott W, Drew LJ (1989) Undiscovered lode tin resources of the Seward Peninsula, Alaska. *Econ Geol* 84, 1936-1947
- Reyer E (1881) Zinn: Eine geologisch-montanistisch-historische Monografie. Reimer, Berlin, 248 pp
- Reynolds DL (1954) Fluidization as a geological process, and its bearing on the problem of intrusive granites. *Am J Sci* 252: 577-614
- Rice A (1981) Convective fractionation: a mechanism to provide cryptic zoning (macrosegregation), layering, cres-cumulates, banded tuffs and explosive volcanism in igneous processes. *J Geophys Res* 86 (B1): 405-417
- Richter H (1987) Ergebnisse geologischer Forschungs- und Erkundungsarbeiten und Aufgabenstellung für ihre weitere Entwicklung nach dem XI. Parteitag. *Z Angew Geol* 33: 57-64
- Richter P (1984) Wolfram in Graniten Ostbayerns. Versuch einer metallogenетischen Gliederung. *Geol Jb <Hannover>* D 63: 3-22
- Richter P, Stettner G (1979) Geochemische und petrographische Untersuchungen der Fichtelgebirgsgranite. *Geologica Bavaria* 78: 1-144
- Richter P, Stettner G (1987) Die Granite des Steinwaldes (Nordost-Bayern) - ihre petrographische und geochemische Differenzierung. *Geol Jb <Hannover>* D 86: 3-31
- Ringwood AE (1979) Origin of the Earth and Moon. Springer, New York Heidelberg Berlin, 295 pp
- Roedder E (1984) Fluid inclusions. *Rev Mineral* 12: 1-646
- Rösler HJ, Lange H (1976) Geochemische Tabellen, 2nd ed. Enke, Stuttgart, 674 pp
- Rößler B (1700) Speculum metallurgiae politissimum. Oder: Hell-polirter Berg-Bau-Spiegel. Johann Jacob Winckler, Dresden, 168 pp
- Rose AW, Burt DM (1979) Hydrothermal alteration. In: Barnes H (ed) *Geochemistry of hydrothermal ore deposits*, 2nd ed. Wiley, New York, pp 173-235
- Routhier P (1967) Eassai critique sur les méthodes de la géologie. De l'objet à la genèse. Masson, Paris, 204 pp
- Routhier P (1980) Où sont les métaux pour l'avenir? Les provinces métalliques. Essai de métallogénie globale. *Mém BRGM* 105: 1-410
- Routhier P (1983) Where are the metals for the future? The metal provinces. An essay of global metallogeny. BRGM, Orlans, 400 pp
- Rub MG (1968) Die Besonderheiten der stofflichen Zusammensetzung und Genesis zinnführender magmatischer Komplexe und der Charakter ihrer Vererzung. *Z Angew Geol* 14: 193-204

- Ruiz J (1988) Petrology, distribution and origin of rhyolites associated with tin mineralization in the Sierra Madre Occidental, Mexico. In: Taylor RP, Strong DF (eds) Recent advances in the geology of granite-related mineral deposits. Can Inst Min Metall, Spec Vol 39: 322-330
- Rutherford MJ (1969) An experimental determination of iron biotite-alkali feldspar equilibria. *J Petrol* 10: 381-408
- Ryabchikov ID, Durasova NA, Barsukov VL, Yefimov AS (1978) The redox potential as a factor governing ore production by an acid magma. *Geochem Intern* 1978, 3: 121-123 (translated from *Geokhimiya* 1978, 6: 832-834)
- Saavedra J, Toselli AJ, Rossi de Toselli JN, Rapela CW (1987) Role of tectonism and fractional crystallization in the origin of lower Paleozoic epidote-bearing granitoids, northwestern Argentina. *Geology* 15: 709-713
- Sack RO, Carmichael ISE, Rivers M, Ghiorso MS (1980) Ferric-ferrous equilibria in natural silicate liquids at 1 bar. *Contrib Mineral Petrol* 75: 369-376
- Sandberger F (1885) Untersuchungen über Erzgänge. Zweites Heft. CW Kreidel's, Wiesbaden, pp 159-431
- Scheepers R, Schoch AE (1988) Geology and geochemistry of the Klipberg alkali feldspar granite and associated hydrothermally altered rocks in the Darling batholith, southwestern Cape Province. *S Afr J Geol* 91: 212-225
- Schermerhorn LJG (1987) The Hercynian gabbro-tonalite-granite-leucogranite suite of Iberia: geochemistry and fractionation. *Geol Rdsch* 76: 137-145
- Schneider A (1985) Eruptive processes, mineralization and isotopic evolution of the Los Frailes-Karikari region/Bolivia. Ph.D. thesis, Univ London, London, 280 pp
- Schneider HJ, Lehmann B (1977) Contribution to a new genetical concept on the Bolivian tin province. In: Klemm DD, Schneider HJ (eds) Time- and strata-bound ore deposits. Springer, Berlin Heidelberg, pp 153-168
- Schoch AE, Scheepers R (1990) The distribution of uranium and thorium in the Cape Columbine granite from the southwestern Cape Province, South Africa. *Ore Geol Rev* 5: 223-246
- Schröcke H (1954) Zur Paragenese erzgebirgischer Zinnerzlagerstätten. *N Jb Miner Abh* 87: 33-109
- Schröcke H (1986) Die Entstehung der endogenen Erzlagerstätten. De Gruyter, Berlin New York, 878 pp
- Schröcke H, Weiner KL (1981) Mineralogie. Ein Lehrbuch auf systematischer Grundlage. De Gruyter, Berlin New York, 952 pp
- Schütze H, Stiehl G, Haberlandt R, Gerstenberger H, Wand U, Mühle K, Hermichen WD, Geisler M, Strauch G, Böttger T, Christoph G, Hasse G, Habedank M, Nitzsche HM (1984) Isotopen- und element-geochemische sowie radiogeochronologische Untersuchungen an der Zinnlagerstätte Ehrenfriedersdorf (Erweiterte Zusammen-fassung). *ZFI-Mitt <Leipzig>* 90: 5-8
- Schuiling RD (1967) Tin belts on the continents around the Atlantic Ocean. *Econ Geol* 62: 540-550
- Schwartz M, Askury AK (1988) Geology and geochemistry of the Bujang Melaka tin granite, Kinta Valley, Malaysia. *Abstr., 5th Int Symp*

- Tin/Tungsten Granites in Southeast Asia and the western Pacific. Shimane Univ, Matsue, pp 164-167
- Schwartz M, Askury AK (1989) Geologic, geochemical, and fluid inclusion studies of the tin granites of the Bujang Melaka Pluton, Kinta Valley, Malaysia. *Econ Geol* 84: 751-779
- Schwartz M, Surjono (1986) Geology and geochemistry of the Nam Salu horizon, Belitung Island, Indonesia. Proc Int Symp Correlation and Resource Evaluation of Tin/Tungsten Granites in Southeast Asia and the Western Pacific Region, 30 June-2 July, 1986. Bureau Mines Mineral Res Record 1986/10, Canberra, pp 67-68
- Schwartz MO, Surjono (1988) The Sn-W greisen deposit at Tikus, Belitung, Indonesia. Abstr, 5th Int Symp Tin/Tungsten Granites in Southeast Asia and the Western Pacific. Shimane Univ, Matsue, pp 171-174
- Sclater JG, Parsons B, Jaupart C (1981) Oceans and continents: similarities and differences in the mechanism of heat loss. *J Geophys Res* 86: 11535-11552
- Seltmann R (1990) Bewertung von Suchergebnissen in einem Lagerstätten-bezirk, dargestellt am Beispiel von Zinnerzlagerstätten im Ost-erzgebirge. Veröffentl Zentralinstitut Physik der Erde <Potsdam>, in press [Ph.D. thesis, Bergakademie Freiberg, 1986]
- Seltmann R, Baumann L, Legler C (1985) Zur paragenetischen und gefügemässigen Stellung des Magnetits in den Kalksilikatfelsen von Ehrenfriedersdorf. *Z Angew Geol* 31: 245-250.
- Seltmann R, Hösel G, Kühne R, Tischendorf G (1989) Sn-W depositions. In: Tischendorf G (ed) Silicic magmatism and metallogenesis of the Erzgebirge. Veröffentl Zentralinstitut Physik der Erde <Potsdam> 107: 121-148
- Seltmann R, Bankwitz P, Bankwitz E, Wetzel HU, Thomas R, Kühne R, Seidel B, Felix M, Märkens S (1990) Crustal structure and intrusion mechanism: the cataclasite-subvolcanic complexes in the Erzgebirge. Preprint to poster, Symp Deformation Processes and the Structure of the Lithosphere, May 3-10, 1990. Acad Sci GDR, Central Inst Physics Earth, Potsdam, 12 pp.
- Shannon RD (1976) Revised effective ionic radii and systematic studies of interatomic distances in halides and chalcogenides. *Acta Cryst A* 32: 751-767
- Shepherd TJ, Miller MF, Scrivener RC, Derbyshire DPF (1985) Hydrothermal fluid evolution in relation to mineralization in southwest England with special reference to the Dartmoor-Bodmin area. In: High heat production (HHP) granites, hydrothermal circulation and ore genesis. Instn Mining Metallurgy, London, pp 345-364
- Shibata K, Ishihara S, Ulriksen E (1984) Rb-Sr ages and initial $^{87}\text{Sr}/^{86}\text{Sr}$ ratios of Late Paleozoic granitic rocks from northern Chile. *Bull Geol Surv Japan* 35: 537-545
- Shinohara H, Iiyama JT, Matsuo S (1989) Partition of chlorine compounds between silicate melt and hydrothermal solutions: I. Partition of NaCl-KCl. *Geochim Cosmochim Acta* 53: 2617-2630
- Sillitoe RH (1974) Tin mineralisation above mantle hot spots. *Nature* <London> 248: 497-499
- Sillitoe RH (1976) Andean mineralization: a model for the metallogenesis of convergent plate margins. *Geol Assoc Canada, Spec Pap* 14: 59-100

- Sillitoe RH, Halls C, Grant JN (1975) Porphyry tin deposits in Bolivia. *Econ Geol* 70: 913-927
- Sítek J, Stemprok M, Voldán J, Cicáková O (1981) Mössbauer spectra of tin-containing granite glasses. (In Czech, with English summary). *Silikaty* 25: 243-249
- Smith FG (1948) Transport and deposition of the non-sulphide vein minerals. III. Phase relations at the pegmatitic stage. *Econ Geol* 43: 535-546
- Smith TE (1979) The geochemistry and origin of the Devonian granitic rocks of southwest Nova Scotia. *Geol Soc Am Bull* 90: 850-885
- Smith TE, Turek A (1976) Tin-bearing potential of some Devonian granitic rocks in S.W. Nova Scotia. *Mineral Deposita* 11: 234-245
- Smith TE, Miller PM, Huang CH (1982) Solidification and crystallization of a stanniferous granitoid pluton, Nova Scotia, Canada. In: Evans AM (ed) Metallization associated with acid magmatism. Wiley, Chichester, pp 301-320
- Snee LW, Sutter JF, Kelly WC (1988) Thermochronology of economic mineral deposits: dating the stages of mineralization at Panasqueira, Portugal, by high-precision $^{40}\text{Ar}/^{39}\text{Ar}$ age spectrum techniques on muscovite. *Econ Geol* 83: 335-354
- Sparks RSJ, Huppert HE, Turner FRS (1984) The fluid dynamics of evolving magma chambers. *Phil Transact R Soc London A* 310: 511-534
- Speczik S, Wiszniewska J (1984) Some comments about stratiform tin deposits in the Stara Kamienica chain (southwestern Poland). *Mineral Deposita* 19: 171-175
- Speer JA, Naeem A, Almohandis AA (1989) Small-scale variations and subtle zoning in granitoid plutons: the Liberty Hill pluton, South Carolina, U.S.A. *Chem Geol* 75: 153-181
- Stemprok M (1967) Genetische Probleme der Zinn-Wolfram-Vererzung im Erzgebirge. *Mineral Deposita* 2: 102-118
- Stemprok M (1986) Petrology and geochemistry of the Czechoslovak part of the Krusn, hory Mts. granite pluton. *Sbornik Geol Ved, Lozisk Geol Mineral* 27:111-156
- Stemprok M (1987) Zinn- und Wolframmineralisation im Böhmischem Massif. *Freiberger Forschungshefte C* 425: 93-106
- Stemprok M (1989) The behavior of tin, tungsten and molybdenum in felsic magmas. *Abstr, 28th Int Geol Congr, Washington*, 3: 174-175
- Stemprok M (1990) Solubility of tin, tungsten and molybdenum oxides in felsic magmas. *Mineral Deposita* 25 (in press)
- Stiehl G (1985) Komplette isotopengeochemische, geochemische und geochronologische Untersuchungen am Granit von Ehrenfrieders-dorf. *Z Geol Wiss* 13: 585-592
- Stoll WC (1964) Metallogenetic belts, centers, and epochs in Argentina and Chile. *Econ Geol* 59: 126-135
- Stone M (1982) The behaviour of tin and some other trace elements during granite differentiation, west Cornwall, England. In: Evans AM (ed) Metallization associated with acid magmatism. Wiley, Chichester, pp 339-355
- Stone M, Exley CS (1986) High heat production granites of southwest England and their associated mineralization: a review. *Transact Instn Min Metall* 95: B25-B36
- Stone M, Exley CS, George MC (1988) Compositions of trioctahedral micas in the Cornubian batholith. *Mineral Mag* 52: 175-192

- Strong DF (1988) A review and model for granite-related mineral deposits. In: Taylor RP, Strong DF (eds) Recent advances in the geology of granite-related mineral deposits. Can Inst Min Metall, Spec Vol 39: 424-445
- Sun SS, Eadington PJ (1987) Oxygen isotope evidence for the mixing of magmatic and meteoric waters during tin mineralization in the Mole Granite, New South Wales, Australia. Econ Geol 82: 43-52
- Swanson SE (1977) Relation of nucleation and crystal growth rate to the development of granitic textures. Am Mineral 62: 966-978
- Swanson SE, Bond JF, Newberry RJ (1988) Petrogenesis of the Ear Mountain Tin Granite, Seward Peninsula, Alaska. Econ Geol 83: 46-61
- Szalamacha M, Szalamacha J (1974) Geologiczna i petrograficzna charakterystyka luktur zmineralizowanych kasyterytu na przykładzie kamieniolomu w krobicy (with English summary). Biul Inst Geol 279 (23): 55-90
- Tacker RC, Candela PA (1987) Partitioning of molybdenum between magnetite and melt: a preliminary experimental study of partitioning of ore metals between silicic magmas and crystalline phases. Econ Geol 82: 1827-1838
- Takahashi M, Aramaki S, Ishihara S (1980) Magnetite-series/ilmenite-series vs. I-type/S-type granitoids. Min Geol, Spec Issue 8: 13-28
- Tammemagi HY, Smith NL (1975) A radiogeologic study of the granites of SW England. J Geol Soc London 131: 415-427
- Tanelli G, Lattanzi P (1985) The cassiterite-polymetallic sulfide deposits of Dachang (Guangxi, People's Republic of China). Mineral Deposita 20: 102-106
- Taylor HP Jr (1977) Water/rock interactions and the origin of H₂O in granitic batholiths. J Geol Soc London 133: 509-558
- Taylor HP Jr (1979) Oxygen and hydrogen isotope relationships in hydrothermal mineral deposits. In: Barnes HL (ed) Geochemistry of hydrothermal ore deposits, 2nd edn. Wiley, New York, pp 236-277
- Taylor JR, Wall VJ (1984) The mobilisation of tin from granitoid magmas. 27th Int Geol Congr Moscow, Abstr 4(9): p 474
- Taylor RG (1979) Geology of tin deposits. Elsevier, Amsterdam, 543 pp
- Taylor RG, Pollard PJ, Tate NM (1985) Resource evaluation of primary tin potential of eastern peninsular Malaysia. A district analysis. UNDP/ESCAP Consultancy Mission Report, Southeast Asia Tin Research Developm Cent, Ipoh, Malaysia 12: 1-118
- Taylor SR, McLennan SM (1983) Geochemical application of spark-source mass spectrometry. IV. The crustal abundance of tin. Chem Geol 39: 273-280
- Taylor SR, McLennan SM (1985) The continental crust: its composition and evolution. Blackwell, Oxford, 312 pp
- Teh GH (1981) The Tekka tin deposit, Perak, Peninsular Malaysia. Bull Geol Soc Malaysia 14: 101-118
- Terashima S, Ishihara S (1982) Tin abundance of some geosynclinal shales from Japan. J Japan Assoc Min Petr Econ Geol 77: 1-6
- Thamm N (1943) Die Zinnerzvorkommen und der Zinnbergbau Afrikas. Mittl Forschungsstelle Kolonial Bergbau Bergakad Freiberg 3: 1-117
- Thomas R (1982) Ergebnisse der thermobarogeochimischen Unter-suchungen an Flüssigkeitseinschlüssen in Mineralen der

- postmagmatischen Zinn-Wolfram-Mineralisation des Erzgebirges. Freiberger Forschungsh C 370: 1-85
- Thomas R, Leeder O (1986) Zur physikochemischen Evolution mineral-bildender Lösungen an Hand thermobarometrischer Untersuchungen. Z Geol Wiss 14: 51-60
- Thomas R, Tischendorf G (1987) Evolution of Variscan magmatic-metallogenetic processes in the Erzgebirge according to thermo-metric investigations. Z Geol Wiss 15: 25-42
- Thompson AB, Connolly JAD (1990) Crustal anatexis in orogenic belts: modeling constraints on fluid behavior and melt generation. Eos, Transact Am Geophys Union 71: 650.
- Thormann CH, Drew LJ (1988) A report on some of the largest tin deposits in Brazil. US Geol Surv, Admin Rep (Brazil Tin Report), pp 1-19
- Thorn PG (1988) Fluid inclusion and stable isotope studies at the Chicote tungsten deposit, Bolivia. Econ Geol 83: 62-68
- Tilton GR, Pollak RJ, Clark AH, Robertson RCR (1981) Isotopic composition of Pb in Central Andean ore deposits. Geol Soc Am Mem 154: 791-816
- Tin International (1989) Go ahead for Portuguese Mine. Tin Int, January 1989, p 4
- Tischendorf G (1970) Zur geochemischen Spezialisierung der Granite des Westerzgebirgischen Teilplutons. Geologie 19: 25-40
- Tischendorf G (1988) On the genesis of tin deposits related to granites: the example Erzgebirge. Z Geol Wiss Berlin 16: 407-420
- Tischendorf G (1989) Silicic magmatism and metallogenesis of the Erzgebirge (compiled by G. Tischendorf). Veröffentlich Zentralinst Physik Erde <Potsdam> 107: 1-316
- Tischendorf G, Schust F, Lange H (1978) Relation between granites and tin deposits in the Erzgebirge, GDR. In: Stempok M, Burnol L, Tischendorf G (eds) Metallization associated with acid magmatism, Vol. 3. Czech Geol Surv, Praha, pp 123-137
- Tischendorf G, Geisler M, Gerstenberger H, Budzinski H, Vogler P (1987) Geochemistry of Variscan granites of the Westerzgebirge-Vogtland region - an example of tin deposit-generating granites. Chem Erde 46: 213-235
- Tistl M (1985) Die Goldlagerstätten der nördlichen Cordillera Real/Bolivien und ihr geologischer Rahmen. Berliner Geowiss Abh A 65: 1-93
- Trumbull RB, Morteani G (1986) The Mhlosheni Pluton, an Archean A-type granite in Swaziland and its relation to tin mineralization. Abstr, 76. Jahrestagung Geol Vereinigung, 26.2.-1.3.1986, Giessen, p 78
- Turekian KK, Wedepohl KH (1961) Distribution of the elements in some major units of the Earth's crust. Bull Geol Soc Am 72: 175-191
- Tuttle OF, Bowen NL (1958) Origin of granite in the light of experimental studies in the system NaAlSi₃O₈-KAISi₃O₈-SiO₂-H₂O. Geol Soc Am Mem 74: 1-153
- Urabe T (1985) Aluminous granite as a source of hydrothermal ore deposits: an experimental study. Econ Geol 80: 148-157
- Veizer J (1988) Continental growth: comments on "The Archean-Proterozoic transition: evidence from Guyana and Montana" by Gibbs AK, Montgomery CW, O'Day PA, Erslev EA. Geochim Cosmochim Acta 52: 789-792
- Veizer J, Jansen SL (1979) Basement and sedimentary recycling and continental evolution. J Geol 87: 341-370

- Veizer J, Jansen SL (1985) Basement and sedimentary recycling 2. Time dimension to global tectonics. *J Geol* 93: 625-643
- Veizer J, Laznicka P, Jansen SL (1989) Mineralization through geologic time: recycling perspective. *Am J Sci* 289: 484-524
- Wänke H (1981) Constitution of terrestrial planets. *Phil Trans R Soc London A* 303: 287-302
- Wänke H, Dreibus G (1988) Chemical composition and accretion history of terrestrial planets. *Phil Trans R Soc London A* 325: 545-557
- Wänke H, Dreibus G, Jagoutz E (1984) Mantle chemistry and accretion history of the Earth. In: Kröner A, Hanson GN, Goodwin AM (eds) *Archaean geochemistry*. Springer, Berlin Heidelberg New York Tokyo, pp 1-24
- Watmuff G (1978) Geology and alteration-mineralization zoning in the central portion of the Yandera porphyry copper prospect, Papua New Guinea. *Econ Geol* 73: 829-856
- Watson EB, Harrison TM (1983) Zircon saturation revisited: temperature and composition effects in a variety of crustal magma types. *Earth Planet Sci Lett* 64: 295-304
- Watznauer A (1954) Die erzgebirgischen Granitintrusionen. *Geologie* 3: 688-706
- Webster JD (1990) Partitioning of F between H₂O and CO₂ fluids and topaz rhyolite melt. Implications for mineralizing magmatic-hydrothermal fluids in F-rich granitic systems. *Contrib Mineral Petrol* 104: 424-438
- Weinhold G (1977) Zur prävaristischen Vererzung im Erzgebirgskristallin aus der Sicht seiner lithofaziellen und geotektonisch-magmatischen Entwicklung während der assyntisch-kaledonischen Žra. *Freiberger Forschungsh C* 320: 1-53
- Werner AG (1791) Neue Theorie von der Entstehung der Gänge, mit Anwendung auf den Bergbau besonders den freibergischen. Gerlachische Buchdruckerei, Freiberg, 256 pp
- Whalen JB (1980) Geology and geochemistry of the molybdenite showings of the Ackley City batholith, southeast Newfoundland. *Can J Earth Sci* 17: 1246-1258
- Whalen JB, Britten RM, McDougall I (1982) Geochronology and geochemistry of the Frieda River prospect area, Papua New Guinea. *Econ Geol* 77: 592-616
- White AJR, Chappell BW (1977) Ultrametamorphism and granitoid genesis. *Tectonophysics* 43: 7-22
- White AJR, Chappell BW (1983) Granitoid types and their distribution in the Lachlan Fold Belt, southeastern Australia. *Geol Soc Am Mem* 159: 21-34
- White WH, Bookstrom AA, Kamilli RJ, Ganster MW, Smith RP, Ranta DE, Steininger RC (1981) Character and origin of Climax-type molybdenum deposits. *Econ Geol*, 75th Anniv Vol, pp 270-316
- Whitney JA (1975) Vapor generation in a quartz monzonite magma: a synthetic model with application to porphyry copper deposits. *Econ Geol* 70: 346-358
- Willis-Richards J, Jackson NJ (1989) Evolution of the Cornubian ore field, southwest England: Part I. Batholith modeling and ore distribution. *Econ Geol* 84: 1078-1100
- Wilson GA, Eugster HP (1984) Cassiterite solubility and metal-chloride speciation in supercritical solutions. *Geol Soc Am Ann Meeting, Abstr with Programs* 16: 696

- Winkelmann L (1983) Geologie und Lagerstätten im Bereich Palca (Mururata) und die Geochemie der Silursedimentite in der Cordillera La Paz/Bolivien. Berliner Geowiss Abh A 51: 1-110
- Wohletz KH, Sheridan MF (1979) A model of pyroclastic surge. Geol Soc Am Spec Pap 180: 177-194
- Wolf M, Sanchez J (1976) Zur Stellung des Wismuts in den Erzparagenesen einiger bolivianischer Lagerstätten. Freiberger Forschungsh C 315: 53-90
- Wones DR (1989) Significance of the assemblage titanite + magnetite + quartz in granitic rocks. Am Mineral 74: 744-749
- Wood SA, Vlassopoulos D (1989) Experimental determination of the hydrothermal solubility and speciation of tungsten at 500 °C and 1 kbar. Geochim Cosmochim Acta 53: 303-312
- Wood SA, Crerar DA, Borcsik MP (1987) Solubility of the assemblage pyrite-pyrrhotite-magnetite-sphalerite-galena-gold-sibnite-bismuthinite-ar-gentite-molybdenite in H₂O-NaCl-CO₂ solutions from 200 to 350 °C. Econ Geol 82: 1864-1887
- Wyllie PJ, Huang WL, Stern CR, Maaloe S (1976) Granitic magmas: possible and impossible sources, water contents, and crystallization sequences. Can J Earth Sci 13: 1007-1019
- Yang Shiyi, Liu Houqun, Zhang Xiulan, Chen Changjiang (1984) The metallogenic characteristics of the Xiling porphyry tin (copper) polymetallic deposit in eastern Guangdong province with an approach to the source of its rock-forming and ore-forming substances. Int Symp Geology tin deposits (Nanning and Dachang, 27 Oct-8 Nov, 1984). Chin Acad Geol Sci/ESCAP Regional Min Res Develop Progr, Bandung, p 109
- Ypma PJM, Simons JH (1969) Genetical aspects of the tin mineralization in Durango, Mexico. In: Fox W (ed) A second technical conference on tin, Vol. 1. Int Tin Counc/Dept Mineral Res Thailand, Bangkok, pp 179-192
- Zimmermann CF (1746) Ober-Sächsische Berg-Academie, in welcher die Bergwercks-Wissenschaften nach ihren Grund-Wahrheiten untersuchet, und nach ihrem Zusammenhange entworffen werden. Friedrich Hekel, Dresden Leipzig, 288 pp
- Zimmermann C (1808) Darstellungen aus der Mineralogie, Mathematik, Physik und Bergwerkskunde. Mohr und Zimmer, Heidelberg, 310 pp
- Zippe FXM (1857) Geschichte der Metalle. Braumüller, Wien, 364 pp

Locality Index

- Ackley City 32
 Air Plateau 77
 Alaska 89, 107-109, 158
 Altenberg 6, 47, 48, 51, 52, 53, 54
 Amazonas 9, 12, 174
 Anchor 147
 Argentina 130-142
 Aue 54
 Australia 6, 84, 85, 89, 146
 Austria 46
 Bangka 32, 97
 Bärhalde 56
 Belitung 32, 74, 89, 90-100, 143-145
 Bergen 54
 Bingham 32
 Black Forest 53, 56, 58
 Blond 59
 Blue Tier 80, 147, 148
 Bodmin Moor 61, 62, 149
 Bolivia 6, 8, 9, 12, 21, 90, 115-124,
 129-142, 168, 169, 170
 Bosworgey 64
 Bougainville 158
 Bretagne 5
 Broadlands 44
 Buck Claim 164
 Bujang Melakka 112, 113, 114
 Burma 8, 9, 69, 71, 73, 101-107
 Burroughs Bay 32
 Burundi 9
 Bushveld 8, 9, 10, 12, 46, 149
 Butte 158
 Cafayate 132, 138, 141
 Canada 8, 32, 79-80
 Cape 80, 82, 83
 Carnmenellis 61, 62, 64, 149
 Central Africa 6, 10, 12, 46
 Central Andes 129-142
 Central Claim 164
 Cerro Rico de Potosi 120
 Chacaltaya 90, 115-120, 132, 141
 Chanon 60
 Chanthaburi 73, 103, 104
 Chile 32, 130-142
 China 6, 8, 9, 12, 21
 Chocaya 120
 Chojilla 6, 132, 138, 141
 Chorolque 6, 90, 120-124, 141
 Chuquicamata 32
 Cinovec (Zinnwald) 6, 47, 48, 53, 54
 Cleveland 6
 Cligga Head 64
 Climax 32
 Coe Claim 164
 Colquechaca 120
 Cornwall 5, 6, 8, 9, 12, 18, 61-65,
 120, 147, 149, 150, 157, 158,
 168, 170, 174
 Cuchiyaco 132, 141
 Czechoslovakia 6, 9, 46, 47, 48, 53,
 54
 Dachang 6
 Dartmoor 61, 62, 149
 Dindings 161
 Durango 124
 Ear Mountain 89, 107-109, 158
 Echassières 59
 Ehrenfriedersdorf 47, 48, 51, 54
 Eibenstock 51, 52, 54
 El Salvador 32
 Enguiales 60
 Erzgebirge 5, 8, 9, 12, 18, 21, 24, 25,
 32, 46-58, 80, 125-129, 147, 152,
 156, 158, 165, 166, 168, 174
 Fichtelgebirge 53, 56, 59
 Flaje 54
 Flöha 51
 Freiberg 46, 125, 126
 Frieda River 32
 Ganawuri 78
 Geevor 6, 149
 Geyer I, 47, 54
 Gierczyn (Giehren) 4, 126, 127
 Gottesberg-Mühlleiten 47
 Grängesberg 23
 Greifenstein 54
 Guatiquina 141
 Hagendorf 164
 Halifax 79, 80
 Halsbrücke 47, 126
 Harding 164
 Henderson 32
 Herberton 89
 Hermyingyi 6, 73, 101-107, 147, 148
 Huallatani 116
 Huato 132, 141
 Huayna Potosi 115, 117, 132, 141
 Illampu 132, 141
 Indonesia 6, 8, 9, 32, 33, 68, 89, 90-
 100, 143-145

- Izera Mountains 125-127
 Japan 32
 Jos Plateau 32, 77, 79
 Kapvaal 10
 Karkonosze-Izera 126, 127
 Kelapa Kampit 143-145
 Kellhuani 115, 117
 Kidd Creek 8
 Kinta Valley 67, 90, 112-115, 147,
 161
 Kirchberg 54
 Krásno (Schlaggenwald) 47
 Krinitzberg 54
 Krupka (Graupen) 46, 47
 Krusné Hory → Erzgebirge
 Kuala Lumpur 67, 161
 Kwandonkaya 78
 Lachlan Foldbelt 71, 84
 Land's End 61, 62
 Llallagua 6, 120, 123, 174
 Loei 73, 103, 104
 Los Frailes 130, 140, 141
 Lost River 107
 Macusani 142
 Mae Sariang 73
 Mae Tom 73
 Malaysia 8, 9, 18, 66-72, 90, 112-
 115, 147, 148, 155
 Manono 6
 Massif Central 53, 58-61
 Mexico 124, 148, 168
 Milluni 115, 117
 Montebras 59, 60
 Morococala 120
 Mt. Carbine 147
 Nam Salu 143-145
 Neves Corvo 8, 10
 New Ross 79, 80
 Niederbobritzsch 54
 Niger 77
 Nigeria 8, 9, 12, 32, 77-79, 155, 168
 Noumas 164
 Nova Scotia 79-80
 Odd West 164
 Om Koi 73
 Oruro 147
 Panasqueira 152
 Panguna 158
 Peru 132, 142
 Phangna 71, 109
 Phuket 6, 32, 33, 71, 109, 147, 148,
 150
 Pilok 73, 77, 89, 101-107
 Pine Grove 99, 101, 157, 158
 Poland 125-127
 Pongkrathing 73
 Portugal 8, 9, 10, 32, 46, 152, 157,
 158, 168, 170
 Pöhl 47
 Pullersreuth 164
 Quartz Hill 32
 Queensland 8, 9
 Questa 32, 157, 158
 Quimsa Cruz 132, 136, 138, 141
 Ray 32
 Rayong 73, 103, 104, 105
 Renison Bell 6, 158, 168
 Rondônia 9, 10, 12, 147
 Rwanda 9
 Sa Moeng 166, 168
 Sachsenhöhe 47, 54
 Sadisdorf 47, 53, 54
 San Rafael 142
 Sandong 145
 Santa Rita 32
 Sardegna 46
 Schellerhau 54
 Schönbrunn 51
 Schwarzenberg 54
 Seiffen 47
 Seward Peninsula 107, 157, 158
 Sierra Madre 124, 147
 Sierra Nevada 71
 Silverleaf 164
 Singkep 97
 Snowy Mountains 84, 85
 South Africa 9, 80, 82, 83, 164
 South Crofty 62, 149
 South Mountain 80
 Spain 8, 9, 10
 Sprollenhaus 58
 St. Austell 61, 149
 St. Sylvestre 59
 Sullivan 8
 Swaziland 10
 Sweden 23
 Takua Pa 90, 109-111
 Tanco 164
 Tanjungpandan 74, 89, 90-100, 147,
 161
 Tanzania 9
 Taquesi 132, 141
 Tasmania 6, 8, 9, 12, 80, 89, 168
 Tasna 120

- Tatasi 120
Thailand 6, 8, 9, 32, 33, 68, 71, 72-
77, 89, 90, 101-107, 109-111,
155, 166, 168, 170
Thuringian Forest 25
Tikus 6, 90, 99, 168
Tin Creek 107
Tin Islands 33, 69, 90-100
Tip Top 164
Uganda 9
Ulu Petai 115
Unduavi 132, 141
- USA 32, 46, 89, 99, 101, 124, 146
USSR 8, 9, 12, 17, 124, 148
Vosges Mountains 53, 56
Walfischkopf 54
West Dalhousie 79, 80
Wheal Jane 6
Winnipeg River 164
Yandera 32
Yinyan 6
Zaire 6, 8, 9
Zlaty Kopec 47
Zongo-Yani 132, 141

Subject Index

- Accretion 14
- Bishop Tuff 19-20
- Boron 5, 17, 19, 20, 36, 37, 88, 121, 129, 130, 163, 164, 172
- Breccia pipes 47, 82, 120, 163, 173
- C1 chondrites 14, 15, 16
- Calderas 51, 174
- Cassiterite
 - Crystal habit 36, 145, 159
 - Fluid inclusions 48, 64, 117, 121, 168, 169
 - Hydrothermal solubility 39-44, 170, 177
 - Solubility in melts 34-36
 - Zr/Hf ratios 165
- Chlorine 37-40
- Congruency 143
- Convective fractionation 19, 171
- Copper porphyries 10, 31, 32, 33, 73, 87, 88, 156, 157, 158, 163, 171, 174
- Core segregation 14
- Etagement temporel 1, 21
- Fluid exsolution 36, 37, 160, 163, 172, 173
- Fluidization 159, 161, 163, 176
- Fluorine 5, 17, 20, 28, 36, 37, 40, 88
- Fractional crystallization 19-23, 53, 56, 74, 82, 137, 142, 153, 156, 164, 166, 171, 177
- Geochemical province 2, 125-129
- Geochemical specialization 17, 21, 23, 56
- Gold 13, 15, 133, 151, 164, 167
- Greisen 6, 7, 48, 51, 77, 90, 99, 108, 109, 115, 119, 120, 139, 176
- High heat production granites 61, 150, 151
- Hydraulic fracturing 121, 159, 163
- I-/S-type 68, 132, 138, 172
- Jahns-Burnham model 164
- Lithium 5, 17, 19, 36
- Magnetite/ilmenite series rocks 29, 30, 32, 33, 84, 139, 142, 156, 172, 177
- Massive sulphide deposits 8, 10, 167
- Metallogenic provinces 1-2, 4
- Meteorites 14
- Microgranitic textures 160, 161
- Molybdenite solubility 34, 36, 44
- Molybdenum 13, 15, 16, 19, 34, 36, 38, 39, 44, 91, 96, 99-101
- Molybdenum porphyries 10, 31, 32, 33, 73, 87, 156, 157, 158, 163, 172
- Neodymium isotopes 52, 71, 72, 84, 90, 132, 133, 146-148
- Oxygen fugacity
 - concept 44
 - granites 29-34, 156-158, 172, 177
 - hydrothermal fluids 39-44, 166-168, 177
- Partial melting 142, 155, 172
- Pegmatites 6, 7, 35, 73, 77, 108, 109, 159, 160, 163-166
- Primitive mantle 13-16
- Pycnite 166
- Pyrrhotite alteration 152, 168
- Reservoir model 159, 166
- Retrograde boiling 87, 163, 173, 174
- Secondary magmatic textures 18, 159-163
- Sidewall crystallization 20, 174
- Silver 122, 151
- Solar nebula 14
- Stable isotopes 48, 88, 121, 166, 168, 170
- Stockscheider 7, 48, 166
- Strontium isotopes 51, 71, 72, 84, 90, 132, 133, 146-149, 166
- Tantalum 13, 15, 16, 17, 19, 53-55, 77, 164
- Thermogravitational diffusion 19-20, 28
- Tin
 - solubility in melts 34-35, 159
 - solubility in hydrothermal fluids 39-44, 166, 167, 173
- Tin distribution coefficient 21, 23-28, 33, 156, 172
- Tin granites
 - definition 4, 5, 17-18
 - origin 146-149, 155, 156, 172
 - oxygen fugacity 29-34, 166
 - textures 159-163
- Tin porphyries 6, 7, 31, 87, 120-124, 148, 173

- Tin provinces 6-9, 18, 21, 125, 129-142, 172
Tin specialization 6, 17-18, 156, 171
Titanium 17, 19, 23, 45
Topaz rhyolites 124
Tourmalinization 62, 116, 120, 121
Tungsten 13, 15, 16, 19, 26, 27, 28, 34, 36, 38, 39, 44, 91, 96
Two-phase variants 160, 161, 173
Ultramafic nodules 13, 14
Uranium 61, 62, 150, 151
Wolframite solubility 34, 36, 39, 44
Wood tin 43, 168
Zinc 13, 38, 151
Zircon 45, 79, 165
Zr/Hf ratios in cassiterite 165